

Prof. Enzo Bonora

Curriculum Vitae

September 2022

Address

Prof. Enzo Bonora
Endocrinologia, Diabetologia e Metabolismo
Ospedale Civile Maggiore
Piazzale Stefani, 1
I-37126 – Verona
Italy
Phone: (+39) 045-8127312
Fax: (+39) 045-8027314
E-mail: enzo.bonora@univr.it;

Date and place of birth

18 March 1953, Mantova (Italy)

Current position

Emeritus Professor of Endocrinology
Department of Medicine, University of Verona Medical School, Verona, Italy

Professional Education

1979 M.D. (University of Pavia)
1984 Board Certified Specialist in Internal Medicine (University of Parma)
1988 Ph.D. (University of Florence)
1993 Board Certified Specialist in Diabetes and Metabolic Diseases (University of Verona)
1998 Board Certified Specialist in Endocrine Diseases (University of Verona)

Positions

1979-83	Research Fellow, Diabetes Section, Department of Internal Medicine, University of Parma, Italy
1983-86	Research Fellow, Division of Metabolic Diseases, University of Verona, Italy
1986-91	Assistant Professor, Department of Metabolic Diseases, University of Verona, Italy
1988-90	Visiting Assistant Professor, Diabetes Division, University of Texas at San Antonio, USA
1992-2001	Associate Professor of Internal Medicine, Department of Endocrinology and Metabolic Diseases, University of Verona, Italy
2001-2023	Full Professor of Endocrinology, Department of Medicine, University of Verona, Italy
2009-2023	Head, Section of Endocrinology, Diabetes and Metabolism, Department of Medicine, University of Verona and Chief, Division of Endocrinology and Metabolism, Department of Medicine, University Hospital of Verona, Italy
2024	Emeritus Professor, Department of Medicine, University of Verona, Italy

Scientific Societies

European Association for the Study of Diabetes
American Diabetes Association
European Society for the Study of Obesity

Italian Diabetes Society (Chief, Steering Committee, Study Group of Insulin Resistance 1996-2000;
 Member, Steering Committee, Study Group of Epidemiology, 1995-97; Member, Scientific Committee,
 1988-89; Secretary 2000-2002; Member, Steering Committee, 2002-2006; Chief, Scientific Committee,
 2004-2006; Member Steering Committee 2012-2016; President 2014-2016; Honorary President 2022-)
 Italian Endocrine Society
 Italian Obesity Society
 Italian Atherosclerosis Society
 Italian Society for the Prevention of Cardiovascular Disease

Collaboration with scientific journals

Referee for:

Acta Diabetologica
 American Journal of Cardiology
 BMJ Open Diabetes Research & Care
 Circulation
 Clinical Pharmacology and Therapeutics
 Current Diabetes Report
 Diabetes
 Diabetes Care
 Diabetes & Metabolism
 Diabetes & Metabolism Research and Reviews
 Diabetes, Nutrition & Metabolism
 Diabetes, Obesity and Metabolism
 Diabetic Medicine
 Diabetologia
 European Journal of Clinical Investigation
 European Journal of Endocrinology
 Hormone and Metabolic Research
 International Journal of Clinical and Laboratory Research
 International Journal of Epidemiology
 International Journal of Obesity
 Journal of Clinical Endocrinology and Metabolism
 Journal of Clinical Epidemiology
 Journal of Diabetes and its Complications
 Journal of Endocrinological Investigation
 JAMA
 Journal of Internal Medicine
 Metabolic Syndrome and Related Disorders
 Lancet
 Nutrition, Metabolism and Cardiovascular Disease
 Obesity Research
 PLoSOne
 Stroke

Membership of Editorial Boards:

Current Diabetes Report
 Diabetes Metabolism Research and Reviews
 Journal of Endocrinological Investigations
 Metabolic Syndrome and Related Disorders
 PLoSOne

Collaboration with Scientific Institutions:

Referee for:

British Diabetes Association (London)

The Wellcome Trust (London)

Awards

1984	Italian Diabetes Society ("Junior Investigator Award")
1992	Italian Diabetes Society ("Alcmeone Award")
1997	American Diabetes Association ("Michaela Modan Memorial Award")
2014-2016	President of Italian Diabetes Society
2016-2018	President Research Foundation of the Italian Diabetes Society
2020	Italian Diabetes Society ("Celso Award")

Invited Lectures

More than 700

Organizations of international, national or regional scientific meeting

More than 70, including 7 editions of the Mantua Workshop on Diabetes Mellitus and Related Disorders, 2 editions of the National Congress of the Italian Diabetes Society and 2 editions of the National Congress of the Italian Endocrine Society.

Research grants

European Union
Italian Ministry of Education, University and Research
Italian Ministry of Health
Italian National Research Council
Veneto Region
University of Verona
Pharmaceutical and biomedical companies

Experience with clinical trials

Dozens of single centre and multicentre clinical trials examining the effect of drugs to be used in the treatment of diabetes mellitus, dyslipidemia or hypertension.

Bibliometric data

Peer-reviewed papers: about 350; overall Impact Factor about 6,500 (average 15); citations about 27,000; H-Index about 75

Sinopsys of publications in Peer-Reviewed journals

Papers with data contribution are given in parenthesis)

Journals	No. papers	Impact Factor in 2022	Overall Impact Factor
Acta Diabetologica (già Acta Diabetologica Latina)	17 (1)	3,800	64,600
Alimentary Pharmacology & Therapeutics	1	7,600	7,600
American Journal of Cardiology	1	2,800	2,800
American Journal of Epidemiology	1	5,000	5,000
American Journal of Gastroenterology	1	9,800	9,800
American Journal of Kidney Disease	1 (1)	13,200	13,200
American Journal of Medicine	4	5,900	23,600
American Journal of Nephrology	1 (1)	4,200	4,200
American Journal of Obstetrics & Gynecology	1	9,800	9,800
American Journal of Physiology (Endocrinology)	1	3,077	3,077
Annals of Internal Medicine	1 (1)	39,200	39,200
Annals of Medicine	1	4,400	4,400
Annals of Nutrition and Metabolism	3	3,900	11,700
Archives of Gerontology and Geriatrics	2	4,000	8,000
Arteriosclerosis Thrombosis & Vascular Biology	5 (2)	8,700	43,500
Arthritis & Rheumatism	1	8,955	8,955
Atherosclerosis	6 (1)	5,300	31,800
Biodrugs	1	6,800	6,800
British Medical Journal	1	105,700	105,700
BMC Medicine	2	9,300	18,600
BMJ Open Diabetes Research and Care	5	4,100	20,500
Cardiology Reviews	1	2,100	2,100
Cardiovascular Diabetology	8 (2)	9,300	74,400
Cerebrovascular Diseases	1	2,900	2,900
Circulation	7 (2)	37,800	264,600
Circulation Cardiovascular Genetics	2	7,400	14,800
Circulation Research	1	20,100	20,100
Clinical Endocrinology	1	3,200	3,200
Clinical Journal of American Society of Nephrology	1	9,800	9,800
Clinical Nutrition	1	6,300	6,300
Clinical Sciences (London)	1	6,000	6,000
Current Diabetes Report	1	4,200	4,200
Current Medical Research & Opinion	2	2,300	4,600
Current Therapeutic Research	1	1,900	1,900
Diabetes	10 (1)	7,700	77,000
Diabetes Care	40 (1)	16,200	648,000
Diabetes & Metabolism	11	7,200	79,200
Diabetes Metabolism Research & Reviews	6	8,000	48,000
Diabetes Obesity & Metabolism	7 (2)	5,800	40,600
Diabetes Research and Clinical Practice	3	5,100	15,300
Diabetes Reviews (ha continuato in Diabetes Care)	1	16,200	16,200
Diabetes Therapy	2 (1)	3,800	7,600
Diabetes & Vascular Disease Research	1	2,400	2,400
Diabetic Medicine	6 (1)	3,500	21,000

Diabetologia	11 (1)	8,200	90,200
Digestive Diseases and Sciences	1	3,100	3,100
Drugs	1 (1)	11,500	11,500
Endocrine Metabolic Immune Disorders – Drug Targets	1	1,900	1,900
European Heart Journal	2	39,300	78,600
European Journal of Cardiovascular Prevention and Rehabilitation	2	3,691	7,382
European Journal of Clinical Investigation	3 (1)	5,500	16,500
European Journal of Endocrinology	2	5,800	11,600
European Journal of Nutrition	2	5,000	10,000
European Journal of Preventive Cardiology	2	8,300	16,600
European Reviews for Medical and Pharmacological Sciences	2	3,300	6,600
Hepatology	2	13,500	27,000
Hormone and Metabolic Research	6	2,200	13,200
Hormone Research in Paediatrics (già Hormone Research)	1	3,200	3,200
Human Reproduction	1	6,100	6,100
Hypertension	1 (1)	8,300	8,300
International Journal of Cardiology	3	3,500	10,500
International Journal of Clinical Practice	2	2,600	5,200
International Journal of Obesity	10	4,900	49,000
JAMA	1 (1)	120,700	120,700
JAMA Cardiology	1	24,000	24,000
Journal of the American Geriatric Society	3	6,300	18,900
Journal of the American Heart Association	2	5,400	10,800
Journal of Diabetes and its Complications	5	3,000	15,000
Journal of Clinical Apheresis	1	1,500	1,500
Journal of Clinical Endocrinology & Metabolism	21 (1)	5,800	121,800
Journal of Clinical Investigation	3 (1)	15,900	47,700
Journal of Clinical Medicine	1	3,900	3,900
Journal of Diabetes Investigation	1	3,200	3,200
Journal of Endocrinological Investigation	17 (2)	5,400	91,800
Journal of Hepatology	2	25,700	51,400
Journal of Hypertension	1	4,900	4,900
Journal of Internal Medicine	4	11,100	44,400
Journal of Magnetic Resonance Imaging	1	4,400	4,400
Lancet	3 (2)	168,900	506,700
Lancet Diabetes and Endocrinology	2 (1)	44,500	89,000
Medicine (Baltimore)	1	1,600	1,600
Metabolic Syndrome and Related Disorders	1	2,100	2,100
Metabolism	9	9,800	88,200
Muscle Nerve	1	3,400	3,400
Nature Genetics	1	30,800	30,800
Nature Medicine	1	82,900	82,900
Nature Reviews Gastroenterology & Hepatology	1	65,100	65,100
New England Journal of Medicine	12 (7)	158,500	1.902,000
Nutrients	2	5,900	11,800
Nutrition Metabolism and Cardiovascular Disease	32 (2)	3,900	124,800
PLoS One	9	3,700	33,300
Population Health Metrics	1 (1)	3,300	3,300
Proceedings of the Nutrition Society	1 (1)	7,000	7,000

Quarterly Journal of Medicine	1	13,300	13,300
Regulatory Peptides	1	3,000	3,000
Scientific Reports	1	4,600	4,600
Seminars in Thrombosis and Hemostasis	2	5,700	11,400
Sensors	1	3,847	3,847
Stroke	2	8,300	16,600
Thyroid	1	6,600	6,600
Totali e media	377 (40)	15,200	5765

Principal publications

1. Capretti L., Bonora E., Coscelli C., Butturini U.
Combined sulphonylurea-biguanide therapy for NIDDM. Metabolic effects of glibenclamide and metformin or phenformin in newly diagnosed obese patients.
Curr. Med. Res. Opinion 7: 677-683, 1982.
2. Bonora E., Zavaroni I., Coscelli C., Butturini U.
Decreased hepatic insulin extraction in subjects with mild glucose intolerance.
Metabolism 32: 438-446, 1983.
3. Bonora E., Coscelli C., Butturini U.
Secretion and hepatic removal of insulin in nondiabetic, obese, aged subjects.
J. Am. Geriatr. Soc. 31: 333-337, 1983.
4. Bonora E., Coscelli C., Butturini U.
Residual B cell function and insulin sensitivity in type 1 (insulin-dependent) diabetes mellitus.
Diabetologia 25: 298, 1983 (letter).
5. Bonora E., Capretti L., Coscelli C., Butturini U.
Evidence that basal beta-cell activity may play a role in determining insulin sensitivity in healthy man.
Ann. Nutr. Metab. 27: 501-504, 1983.
6. Speroni G., Pezzarossa A., Bonora E., Capretti L.
Effect of TRH on plasma glucagon in cirrhotic patients.
Horm. Metab. Res. 15: 619-620, 1983.
7. Bonora E., Cigolini M., Bosello O., Zancanaro C., Capretti L., Zavaroni I., Coscelli C., Butturini U.
Lack of effect of intravenous metformin on plasma concentrations of glucose, insulin, C-peptide, glucagon and growth hormone in nondiabetic subjects.
Curr. Med. Res. Opinion 9: 47-51, 1984.
8. Bonora E., Coscelli C., Orioli S., Cambi R., Buzzelli G., Gentilini P., Butturini U.
Hyperinsulinemia of chronic active hepatitis: impaired insulin removal rather than pancreatic hypersecretion.
Horm. Metab. Res. 16: 111-114, 1984.
9. Bonora E., Coscelli C., Butturini U.
Secretion and hepatic removal of insulin in female obese subjects with reactive hypoglycemia.
Ann. Nutr. Metab. 28: 305-310, 1984.
10. Bonora E., Orioli S., Coscelli C., Buzzelli G., Gentilini P., Butturini U.
Possible roles of glucagon, growth hormone and free fatty acids in the pathogenesis of insulin resistance of subjects with chronic liver diseases.
Acta Diabetol. Lat. 21: 241-250, 1984.
11. Bonora E., Zavaroni I., Bruschi F., Alpi O., Pezzarossa A., Dall'Aglio E., Coscelli C., Butturini U.
Evidence for unimpaired pancreatic secretion and hepatic removal of insulin in the healthy offspring of type 2 (non-insulin-dependent) diabetic couples.
Horm. Res. 20: 138-142, 1984.
12. Bonora E., Zavaroni I., Bruschi F., Alpi O., Pezzarossa A., Dall'Aglio E., Coscelli C., Butturini U.
Secretion and hepatic removal of insulin in the healthy offspring of type 2 (non-insulin-dependent) diabetic subjects.
Diabete Metab. 10: 250-254, 1984.

13. Coscelli C., Palmari V., Saccardi F., Alpi O., Bonora E.
Evidence that metformin addition to insulin induces an amelioration of glycemic profile in type I (insulin-dependent) diabetes mellitus.
Curr. Therap. Res. 35: 1058-1064, 1984.
14. Bonora E., Orioli S., Coscelli C., Buzzelli G., Butturini U. Gentilini P.
Glucose tolerance, insulin secretion and insulin removal in chronic persistent hepatitis.
Horm. Metab. Res. 16:449-450, 1984.
15. Bonora E., Zavaroni I., Bruschi F., Alpi O., Pezzarossa A., Guerra L., Dall'Aglia E., Coscelli C., Butturini U.
Peripheral hyperinsulinemia of simple obesity: pancreatic hypersecretion or impaired insulin metabolism?
J. Clin. Endocrinol. Metab. 59: 1121-1127, 1984.
16. Bonora E., Coscelli C., Butturini U.
Residual B cell function in type I (insulin-dependent) diabetes mellitus: its relation to clinical and metabolic features.
Acta Diabetol. Lat. 21: 375-383, 1984.
17. Zavaroni I., Dall'Aglia E., Alpi O., Bruschi F., Bonora E., Pezzarossa A., Butturini U.
Evidence for an independent relationship between plasma insulin and concentration of high density lipoprotein cholesterol and triglycerides.
Atherosclerosis 55: 259-266, 1985.
18. Muggeo M., Moghetti P., Querena M., Girotto S., Bonora E., Crepaldi G.
Effect of aging on growth hormone, ACTH and cortisol response to insulin-induced hypoglycemia in type I diabetes.
Acta Diabetol. Lat. 22: 159-168, 1985.
19. Bonora E., Coscelli C., Butturini U.
Relationship between insulin resistance, insulin secretion and insulin metabolism in simple obesity.
Int. J. Obes. 9: 307-312, 1985.
20. Bonora E., Zavaroni I., Alpi O., Pezzarossa A., Guerra L., Dall'Aglia E., Bruschi F., Coscelli C., Butturini U.
C-peptide to insulin molar ratios at fasting and after oral glucose in 247 healthy subjects.
Horm. Metab. Res. 17: 689-690, 1985.
21. Bonora E., Zavaroni I., Alpi O., Pezzarossa A., Bruschi F., Guerra L., Dall'Aglia E., Coscelli C., Butturini U.
Insulin and C-peptide responses to 75 g oral glucose load in the healthy man.
Diabete Metab. 12: 143-148, 1986.
22. Bonora E., Coscelli C., Butturini U.
Insulin metabolism is a major factor responsible for high or low peripheral insulin levels in response to oral glucose loading in the healthy man.
Ann. Nutr. Metab. 30: 219-226, 1986.
23. Zavaroni I., Dall'Aglia E., Bruschi F., Bonora E., Alpi O., Pezzarossa A., Butturini U.
Effect of age and environmental factors on glucose tolerance and insulin secretion in a worker population.
J. Am. Geriatr. Soc. 34: 271-275, 1986.
24. Pezzarossa A., Contini S., Bonora E., Marni A., Colotto G., Capocasale E., Butturini U.
Glucose tolerance after portacaval shunt in liver cirrhosis.
Diabete Metab. 12: 197-202, 1986.

25. Bonora E., Zavaroni I., Manicardi V., Coscelli C., Butturini U.
Further evidence that insulin metabolism is a major determinant of peripheral insulin response to oral glucose in subjects with mild glucose intolerance.
J. Endocrinol. Invest. 9: 371-374, 1986.
26. Bonora E., Capretti L., Manicardi V., Zavaroni I., Coscelli C., Butturini U.
Fractional hepatic extraction of insulin in man: is it constant?
J. Endocrinol. Invest. 1: 45-49, 1987.
27. Bonora E., Manicardi V., Zavaroni I., Coscelli C., Butturini U.
Relationships between insulin secretion, insulin metabolism and insulin resistance in mild glucose intolerance.
Diabete Metab. 13: 116-121, 1987.
28. Bonora E., Zavaroni I., Alpi O., Pezzarossa A., Dall'Aglione E., Coscelli C., Butturini U.
Influence of the menstrual cycle on glucose tolerance and insulin secretion.
Am. J. Obst. Gynecol. 157: 140-141, 1987.
29. Bonora E., Zavaroni I., Alpi O., Pezzarossa A., Bruschi F., Dall'Aglione E., Guerra L., Coscelli C., Butturini U.
Relationship between blood pressure and plasma insulin in nonobese and obese nondiabetic subjects.
Diabetologia 30: 719-723, 1987.
30. Bonora E., Pisani F., Micciolo R., Corgnati A., Muggeo M.
Effect of glipizide on insulin secretion and insulin metabolism in obese type 2 diabetic patients.
Diabetes Care 10: 687-691, 1987.
31. Zavaroni I., De Ferrari G., Lugari R., Bonora E., Garibotto G., Dall'Aglione E., Robaudo C., Gnudi A.
Renal metabolism of C-peptide in man.
J. Clin. Endocrinol. Metab. 65: 494-498, 1987.
32. Zavaroni I., Dall'Aglione E., Bonora E., Alpi O., Passeri M., Reaven G.M.
Evidence that multiple risk factors for coronary artery disease exist in persons with abnormal glucose tolerance.
Am. J. Med. 83: 609-612, 1987.
33. Pezzarossa A., Taddei F., Cimicchi M.C., Rossini E., Contini S., Bonora E., Gnudi A., Uggeri E.
Perioperative management of diabetic subjects. Subcutaneous versus intravenous insulin administration during glucose-potassium infusion.
Diabetes Care 11: 52-58, 1988.
34. Bonora E., Rizzi C., Lesi C., Berra P., Coscelli C., Butturini U.
Insulin and C-peptide plasma levels in patients with severe chronic pancreatitis and fasting normoglycemia.
Dig. Dis. Sci. 33: 732-736, 1988.
35. Bonora E., Muggeo M.
Further considerations regarding insulin secretion and metabolism after glipizide treatment.
Diabetes Care 11: 690-692, 1988 (letter).
36. Cigolini M., Bonora E., Querena M., Moghetti P., Cacciatori V., Zancanaro C., Benati D., Muggeo M.
Differences in glucose metabolic enzyme activities in human adipose tissue from abdominal and gluteal regions.
Metabolism 37: 820-823, 1988.
37. Bonora E., Moghetti P., Zancanaro C., Cigolini M., Querena M., Cacciatori V., Corgnati A., Muggeo M.
Estimates of in vivo insulin action in man: comparison of insulin tolerance tests and euglycemic and hyperglycemic glucose clamp studies.
J. Clin. Endocrinol. Metab. 68: 374-378, 1989.

38. Zavaroni I., Bonora E., Pagliara M., Dall'Aglio E., Luchetti L., Buonanno G., Bonati P.A., Bergonzani M., Gnudi L., Passeri M., Reaven G.M.
Risk factors for coronary artery disease in healthy persons with hyperinsulinemia and normal glucose tolerance.
N. Engl. J. Med. 320: 702-706, 1989.
39. Reaven G.M., Zavaroni I., Bonora E., Pagliara M., Dall'Aglio E., Luchetti L., Buonanno G., Bonati P.A., Bergonzani M., Gnudi L., Passeri M.
Hyperinsulinemia and coronary artery disease.
N. Engl. J. Med. 321: 618, 1989 (letter).
40. Zavaroni I., Bonati P.A., Luchetti L., Bonora E., Buonanno G., Bergonzani M., Pagliara M., Gnudi L., Butturini L., Passeri M., Reaven G.M.
Habitual leisure-time physical activity is associated with differences in various risk factors for coronary artery disease.
J. Intern. Med. 226: 417-421, 1989.
41. Zancanaro C., Cigolini M., Bonora E., Moghetti P., Querena M., Muggeo M.
Glucose and insulin suppression of plasma free fatty acids in obese subjects with normal glucose tolerance or mild newly-diagnosed type II (non-insulin dependent) diabetics.
J. Endocrinol. Invest. 13: 55-59, 1990.
42. Bonora E., Moghetti P., Zenere M., Querena M., Tosi F., Corgnati A., Muggeo M.
Plasma concentrations of growth hormone during hyperglycemic clamp with or without somatostatin infusion in obese subjects.
J. Clin. Endocrinol. Metab. 70: 1732-1734, 1990.
43. Zancanaro C., Cigolini M., Bonora E., Moghetti P., Cacciatori V., Querena M., Muggeo M.
Plasma free fatty acid concentration during hyperglycemic glucose clamp with and without somatostatin infusion in obese subjects with normal glucose tolerance.
Int. J. Obes. 14: 551-557, 1990.
44. Bonora E., Moghetti P., Zenere M., Tosi F., Travia D., Muggeo M.
B cell secretion and insulin sensitivity in hypertensive and normotensive obese subjects.
Int. J. Obes. 14: 735-742, 1990.
45. Bonora E., Manicardi V., Zenere M., Moghetti P., Coscelli C., Muggeo M.
Plasma C-peptide response to oral glucose load in hyperthyroidism.
J. Endocrinol. Invest. 13: 555-558, 1990.
46. Bonora E., Moghetti P., Zancanaro C., Cigolini M., Querena M., Cacciatori V., Zenere M., Corgnati A., Muggeo M.
Normal inhibition by somatostatin of glucose-stimulated B cell secretion in obese subjects.
Horm. Metab. Res. 22: 584-588, 1990.
47. Bonora E., Moghetti P., Cacciatori V., Zenere M., Tosi F., Travia D., Zoppini G., Perobelli L., Muggeo M.
Plasma concentrations of glucagon during hyperglycemic clamp with or without somatostatin infusion in obese subjects.
Acta Diabetol. Lat. 27: 309-314, 1990.
48. Travia D., Bonora E., Cacciatori V., Zenere M., Tosi F., Branzi P., Moghetti P., Raffaelli A., Marini F., Poli M., Zenari L., Muggeo M.
Study of some putative pathogenetic factors of diabetes mellitus in the elderly.
Arch. Gerontol. Geriatr. Suppl. 2: 219-222, 1991.

49. Cacciatori V., Bonora E., Travia D., Zenere M., Tosi F., Branzi P., Marini F., Poli M., Raffaelli A., Zenari L., Moghetti P., Muggeo M.
Comparison of elderly diabetes and mature age diabetes: similarities and differences.
Arch. Gerontol. Geriatr. Suppl. 2: 223-226, 1991.
50. Lancaster J.L., Ghiatas A.A., Alyassin A., Kilcoyne R.F., Bonora E., DeFronzo R.A.
Measurement of abdominal fat with T1-weighted MR images.
J. Magn. Res. Imag. 1: 363-369, 1991.
51. Bonora E., Moghetti P., Querena M., Zenere M., Cacciatori V., Tosi F., Travia D., Zoppini G., Muggeo M.
Studies on the mechanism of action of sulphonylureas in type II diabetic subjects: gliquidone.
J. Endocrinol. Invest. 15: 1-11, 1992.
52. Barbetti F., Gejman P.V., Taylor S.I., Raben N., Cama A., Bonora E., Pizzo P., Moghetti P., Muggeo M., Roth J.
Detection of mutations in insulin receptor gene by denaturing gradient gel electrophoresis.
Diabetes 41: 408-415, 1992.
53. Bonora E., Zenere M., Branzi P., Bagnani M., Maggiulli L., Tosi F., Travia D., Cacciatori V., Querena M., Moghetti P., Micciolo R., Ferrari A., Muggeo M.
Influence of body fat and its regional localization on risk factors for atherosclerosis in young men.
Am. J. Epidemiol. 135: 1271-1278, 1992.
54. Bonora E., Del Prato S., Bonadonna R., Gulli G., Solini A., Shank M., Ghiatas A., Lancaster J., Kilcoyne R., Alyassin A., DeFronzo R.
Total body fat content and fat topography are associated differently with in vivo glucose metabolism in nonobese and obese nondiabetic women.
Diabetes 41: 1151-1159, 1992.
55. Muggeo M., Moghetti P., Querena M., Cacciatori V., Zoppini G., Zenere M., Tosi F., Travia D., Bonora E.
Mononuclear leukocytes from obese patients with type II diabetes have reduced activity of hexokinase, 6-phosphofructokinase and glucose-6-phosphate dehydrogenase.
Horm. Metab. Res. 25: 160-164, 1993.
56. Bonora E., Bonadonna R.C., Del Prato S., Gulli G., Solini A., Matsuda M., DeFronzo R.A.:
In vivo glucose metabolism in obese and type II diabetic subjects with and without hypertension.
Diabetes 42: 764-772, 1993.
57. Del Prato S., Bonadonna R.C., Bonora E., Gulli G., Solini A., Shank M., DeFronzo R.A.:
Characterization of cellular defects of insulin action in type II (non-insulin-dependent) diabetes mellitus.
J. Clin. Invest. 91: 484-494, 1993.
58. Bonadonna R.C., Del Prato S., Saccomani M.P., Bonora E., Gulli G., Ferrannini E., Bier D., Cobelli C., DeFronzo R.A.
Transmembrane glucose transport in skeletal muscle of patients with non-insulin-dependent diabetes mellitus.
J. Clin. Invest. 92: 486-494, 1993.
59. Zavaroni I., Mazza S., Fantuzzi M., Dall'Aglio E., Bonora E., Del Signore R., Passeri M., Reaven G.M.
Changes in insulin and lipid metabolism in males with asymptomatic hyperuricaemia.
J. Intern. Med. 234: 25-30, 1993.
60. Bonadonna R., Del Prato S., Bonora E., Gulli G., Solini A., DeFronzo R.A.
The effects of physiologic hyperinsulinemia on the intracellular metabolic partition of plasma glucose.
Am. J. Physiol. 265: E943-E953, 1993.

61. Muggeo M., Verlato G., Bonora E., Bressan G., Girotto S., Corbellini M., Gemma M.L., Moghetti P., Zenere M., Cacciatori V., Zoppini G., De Marco R.
Verona Diabetes Study. A population-based survey on known diabetes mellitus prevalence and 5-yr all-cause mortality.
Diabetologia 38: 318-325, 1995.
62. Muggeo M., Verlato G., Bonora E., Ciani F., Moghetti P., Eastman R., Crepaldi G., De Marco R.:
Long-term instability of fasting plasma glucose predicts mortality in elderly type 2 diabetic patients. The Verona Diabetes Study.
Diabetologia 38: 672-679, 1995.
63. Bonora E., Gulli G., Bonadonna R.C., Del Prato S., Solini A., DeFronzo R.A.
Insulin sensitivity is not impaired in Mexican American women without family history of diabetes mellitus.
Diabetes Care 18: 825-833, 1995.
64. Bonora E., Micciolo R., Ghiatas A.A., Lancaster J.L., Alyassin A., Muggeo M., DeFronzo R.A.
Is it possible to derive a reliable estimate of human visceral and subcutaneous abdominal tissue from simple anthropometric measurements?
Metabolism 44: 1617-1625, 1995.
65. Bonora E., Targher G., Branzi P., Zenere M., Saggiani F., Zenti M.G., Travia D., Tonoli M., Muggeo M., Cigolini M.
Cardiovascular risk profile in 38-yr and 18-yr-old men. Contribution of body fat content and regional fat distribution.
Int. J. Obesity 20: 28-36, 1996.
66. Verlato G., Muggeo M., Bonora E., Corbellini M., Bressan F., De Marco R.
Attending the Diabetes Center is associated with increased 5-year survival probability of diabetic patients. The Verona Diabetes Study.
Diabetes Care 19: 211-213, 1996.
67. Tosi F., Moghetti P., Castello R., Negri C., Bonora E., Muggeo M.
Early changes in plasma glucagon and GH response to oral glucose in experimental hyperthyroidism.
Metabolism 45: 1029-1033, 1996.
68. Bonadonna R., Del Prato S., Bonora E., Saccomani M.P., Gulli G., Natali A., Frascerra S., Pecori N., Ferrannini E., Bier D., Cobelli C., DeFronzo R.A.
Roles of glucose transport and glucose phosphorylation in muscle insulin resistance of type 2 (non-insulin-dependent) diabetes mellitus.
Diabetes 45: 915-925, 1996.
69. Kiechl S., Willeit S., Poewe S., Egger G., Oberhollenzer F., Muggeo M., Bonora E.
Insulin sensitivity and regular alcohol consumption: large, prospective, cross-sectional population study (Bruneck Study).
Brit. Med. J. 313: 1040-44, 1996.
70. Bonora E., Targher G., Zenere M.B., Saggiani F., Cacciatori V., Tosi F., Travia D., Zenti M.G., Branzi P., Santi L., Muggeo M.
Relationship of uric acid concentration to cardiovascular risk factors in young men. Role of obesity and central fat distribution. The Verona Young Men Atherosclerosis Risk Factors Study.
Int. J. Obes. 20: 975-980, 1996.
71. Saggiani F., Pilati S., Targher G., Branzi P., Muggeo M., Bonora E.
Serum uric acid and related factors in 500 hospitalized subjects.
Metabolism 45: 1557-61, 1996.

72. Bonadonna R., Bonora E.
Glucose and free fatty acid metabolism in human obesity. Relationship with insulin resistance.
Diabetes Reviews 5: 21-51, 1997.
73. Bonora E., Targher G., Zenere M.B., Saggiani F., Cacciatori V., Tosi F., Travia D., Zenti M.G., Branzi P., Santi L., Muggeo M.
Relationship of fasting insulin to cardiovascular risk factor is already present in young men. The Verona Young Men Atherosclerosis Risk Factor Study.
Europ. J. Clin. Invest. 27: 248-254, 1997.
74. Bonora E., Tessari R., Micciolo R., Zenere M., Targher G., Padovani R., Falezza G., Muggeo M.
Intimal-medial thickness of the carotid artery in nondiabetic and non-insulin-dependent diabetic subjects. Relationship with insulin resistance.
Diabetes Care 20: 627-631, 1997.
75. Willeit J., Kiechl S., Egger G., Oberhollenzer M., Oberhollenzer F., Muggeo M., Poewe W., Bonora E.
The role of insulin in age-related sex differences of cardiovascular risk profile and morbidity.
Atherosclerosis 130: 183-189, 1997.
76. Bonora E., Willeit J., Kiechl S., Oberhollenzer F., Egger G., Bonadonna R., Muggeo M.
Relationship between insulin and carotid atherosclerosis in the general population. The Bruneck Study.
Stroke 28: 1147-1152, 1997.
77. Bonora E., Targher G., Zenere M.B., Saggiani F., Alberiche M.P., Branzi P., Muggeo M.
Obesity worsens cardiovascular risk profile independently of hyperinsulinemia.
J. Intern. Med. 241: 463-470, 1997.
78. Solini A., Bonora E., Bonadonna R., Castellino P., DeFronzo R.A.
Protein metabolism in human obesity: relationship with glucose and lipid metabolism and with visceral adipose tissue.
J. Clin. Endocrinol. Metab. 82: 2552-2558, 1997.
79. Muggeo M., Verlato G., Bonora E., Zoppini G., Corbellini M., De Marco R.
Long-term instability of fasting plasma glucose: a novel predictor of cardiovascular mortality in elderly patients with non-insulin-dependent diabetes mellitus. The Verona Diabetes Study.
Circulation 96: 1750-1754, 1997.
80. Targher G., Alberiche M., Zenere MB, Bonadonna RC, Muggeo M., Bonora E.
Cigarette smoking and insulin resistance in patients with non-insulin-dependent diabetes mellitus (NIDDM).
J. Clin. Endocrinol. Metab. 82: 3619-3624, 1997.
81. Bonora E., Willeit J., Kiechl S., Oberhollenzer F., Egger G., Bonadonna R., Muggeo M.
U-shaped and J-shaped relationships between serum insulin and coronary heart disease in the general population.
Diabetes Care 21: 221-230, 1998.
82. Kiechl S., Willeit J., Rungger G., Egger G., Oberhollenzer F., Bonora E. for the Bruneck Study Group.
Alcohol consumption and atherosclerosis: What is the relation? Prospective results from the Bruneck Study.
Stroke 29: 900-907, 1998.
83. Bonadonna R., Saccomani M.P., Del Prato S., Bonora E., DeFronzo R.A., Cobelli C.
Role of tissue specific blood flow and tissue recruitment in insulin-mediated glucose uptake of skeletal muscle.
Circulation 1998 98: 234-241, 1998.
84. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Targher G., Alberiche M., Bonadonna R., Muggeo M.
Prevalence of insulin resistance in metabolic disorders. The Bruneck Study.
Diabetes 47: 1643-1649, 1998.

85. Bonora E., Targher G., Alberiche M., Bonadonna R.C., Saggiani F., Zenere M.B., Uleri S., Muggeo M.
Effect of chronic treatment with lacidipine or lisinopril on intracellular partitioning of glucose metabolism in type 2 diabetes mellitus.
J. Clin. Endocrinol. Metab. 84: 1544-1550, 1999.
86. De Marco R., Locatelli F., Zoppini G., Verlato G., Bonora E., Muggeo M.
Cause-specific mortality in type 2 diabetes mellitus. The Verona Diabetes Study.
Diabetes Care 22: 756-761, 1999.
87. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Bonadonna R., Muggeo M.
Plasma glucose within the normal range is not associated with carotid atherosclerosis. Prospective results in subjects with normal glucose tolerance from the Bruneck Study.
Diabetes Care 22: 1339-1346, 1999.
88. Zoppini G., Verlato G., Bonora E., Muggeo M.
Attending the Diabetes Center is associated with reduced cardiovascular mortality in type 2 diabetic patients. The Verona Diabetes Study.
Diabetes Metab. Res. Rev. 15: 170-174, 1999.
89. Camastra S., Bonora E., Del Prato S., Rett K., Weck M., Ferrannini E. on behalf of EGIR.
Effect of obesity and insulin resistance on resting and glucose-induced thermogenesis in man.
Int. J. Obes. 23: 1307-1313, 1999.
90. Muggeo M., Bonora E.
Predicting cardiovascular mortality in elderly diabetics.
Cardiol. Rev. 16: 34-37, 1999.
91. Muggeo M., Zoppini G., Bonora E., Brun E., Bonadonna R.C., Moghetti P., Verlato G.
Fasting plasma glucose variability predicts 10-yr survival of type 2 diabetic patients from the Verona Diabetes Study.
Diabetes Care 23: 45-50, 2000.
92. Bonora E., Targher G., Alberiche M., Bonadonna R.C., Saggiani F., Zenere M.B., Monauni T., Muggeo M.
Homeostasis Model Assessment (HOMA) closely mirrors the glucose clamp technique in the assessment of insulin sensitivity. Studies in subjects with various degrees of glucose tolerance and insulin sensitivity.
Diabetes Care 23: 57-63, 2000.
93. Bonora E., Kiechl S., Oberhollenzer F., Egger G., Bonadonna R.C., Muggeo M.
Impaired glucose tolerance, type 2 diabetes mellitus and carotid atherosclerosis. Prospective results from the Bruneck Study.
Diabetologia 43: 156-164, 2000.
94. Willeit J., Kiechl S., Oberhollenzer F., Rungger G., Egger G., Bonora E., Mitterer M., Muggeo M.
Distinct risk profiles of early and advanced atherosclerosis. Prospective results from the Bruneck Study.
Arterioscl. Thromb. Vasc. Biol. 20: 529-537, 2000.
95. Kiechl S., Willeit J., Bonora E., Schwartz S., Quingbo X.
No association between dehydroepiandrosterone-sulphate and development of atherosclerosis in a prospective population study (Bruneck Study).
Arterioscl. Thromb. Vasc. Biol. 20: 1094-1100, 2000.
96. Marchesini G., Bianchi G., Rossi B., Muggeo M. Bonora E.
Effects of hyperglycemia and hyperinsulinemia on plasma amino acids levels in obese subjects with normal glucose tolerance.
Int. J. Obes. 24: 552-558, 2000.

97. Bonora E.
Relationship between regional fat distribution and insulin resistance.
Int. J. Obes. 24 (suppl. 2): S32-S35, 2000.
98. Monauni T., Zenti M.G., Cretti A., Daniels M., Targher G., Caruso B., Caputo M., McClain D., Del Prato S., Giaccari A., Muggeo M., Bonora E., Bonadonna R.
Effects of glucosamine infusion on insulin secretion and insulin action in humans.
Diabetes 49: 926-935, 2000.
99. Kiechl S., Egger G., Mayr M., Wiedermann C.J., Bonora E., Oberhollenzer F., Muggeo M., Xu Q., Wick G., Poewe W., Willeit J.
Chronic infections and the risk of carotid atherosclerosis. prospective results from a large population study.
Circulation 103: 1064-1070, 2001.
100. Cretti A., Lehtovirta M., Bonora E., Brunato B., Zenti M.G., Tosi F., Caputo M., Caruso B., Groop L.C., Muggeo M., Bonadonna R.C.
Assessment of β -cell function during the oral glucose tolerance test by a minimal model of insulin secretion.
Europ. J. Clin. Invest. 31: 405-416, 2001.
101. Bonora E., Targher G., Alberiche M., Bonadonna R.C., Zenere M.B., Saggiani F., Muggeo M.
Intracellular partition of plasma glucose disposal in hypertensive and normotensive subjects with type 2 diabetes mellitus.
J. Clin. Endocrinol. Metab. 86: 2073-2079, 2001.
102. Arcaro G., Solini A., Monauni T., Cretti A., Brunato B., Lechi A., Fellin R., Caputo M., Cocco C., Bonora E., Muggeo M., Bonadonna R.C.
ACE genotype and endothelium-dependent vasodilation of conduit arteries and forearm microcirculation in humans.
Arterioscl. Thromb. Vasc. Biol. 21: 1313-1319, 2001.
103. Brun E., Zoppini G., Zamboni C., Bonora E., Muggeo M.
Glucose instability is associated with a high level of circulating P-selectin.
Diabetes Care 24: 1685, 2001 (letter).
104. Targher G., Bonadonna R.C., Alberiche M.A., Zenere M.B., Muggeo M., Bonora E.
Relationship between soluble adhesion molecules and insulin sensitivity in type 2 diabetic individuals. Role of adipose tissue.
Diabetes Care 24: 1961-1966, 2001.
105. Bonora E., Calcaterra F., Lombardi S., Bonfante N., Formentini G., Bonadonna R.C., Muggeo M.
Plasma glucose levels throughout the day and HbA1c interrelationships in type 2 diabetes. Implications for treatment and monitoring of metabolic control.
Diabetes Care 24: 2023-2029, 2001.
106. Bonora E., Muggeo M.
Post-prandial blood glucose as a risk factor for cardiovascular disease in type 2 diabetes. The epidemiological evidence.
Diabetologia 44: 2107-2114, 2001.
107. Arcaro G., Cretti A., Balzano S., Lecgi A., Muggeo M., Bonora E., Bonadonna R.C.
Insulin causes endothelial dysfunction in humans. Sites and mechanisms.
Circulation 105: 576-582, 2002.
108. Bonora E., Formentini G., Calcaterra F., Lombardi S., Marini F., Zenari L., Saggiani F., Poli M., Perbellini S., Raffaelli A., Cacciatori V., Santi L., Targher G., Bonadonna R.C., Muggeo M.
HOMA-estimated insulin resistance is an independent predictor of cardiovascular disease in type 2 diabetic subjects. Prospective data from the Verona Diabetes Complications Study.
Diabetes Care 25: 1135-1141, 2002.

109. Bonora E., Targher G., Alberiche M., Formentini G., Calcaterra F., Lombardi S., Marini F., Poli M., Zenari L., Raffaelli A., Perbellini S., Zenere M.B., Saggiani F., Bonadonna R.C., Muggeo M.
Predictors of insulin sensitivity in type 2 diabetes mellitus.
Diabet. Med. 19: 535-542, 2002.
110. Kiechl S., Lorenz E., Reindl M., Wiedermann C.J., Oberhollenzer F., Bonora E., Willeit J., Schwartz D.A.
Toll-like receptor 4 polymorphisms and atherogenesis in humans.
N. Engl. J. Med. 347: 185-192, 2002.
111. Bonora E.
Postprandial peaks as a risk factor for cardiovascular disease: epidemiological perspectives.
Int. J. Clin. Pract. Suppl 129: 5-11, 2002.
112. Bonadonna R.C., Stumvoll M., Fritsche A., Muggeo M., Haring H., Bonora E., van Haeften T.W.
Altered homeostatic adaptation of first- and second-phase beta-cell secretion in the offspring of patients with type 2 diabetes: studies with a minimal model to assess beta-cell function.
Diabetes 52: 470-480, 2003.
113. Verlato G., Zoppini G., Bonora E., Muggeo M.
Mortality from site-specific malignancies in type 2 diabetic patients from Verona.
Diabetes Care 26: 1047-1051, 2003.
114. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Bonadonna R., Muggeo M.
Carotid atherosclerosis and coronary heart disease in the Metabolic Syndrome. Prospective data from the Bruneck Study.
Diabetes Care 26: 1251-1257, 2003.
115. Zoppini G., Verlato G., Leuzinger C., Zamboni C., Brun E., Bonora E., Muggeo M.
Body mass index and the risk of mortality in type 2 diabetic patients from Verona.
Int. J. Obes. 27: 281-185, 2003.
116. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Bonadonna R., Muggeo M.
Metabolic Syndrome: epidemiology and more extensive phenotypic description. Cross-sectional data from the Bruneck Study.
Int. J. Obes. 27: 1283-1289, 2003.
117. Bonora E., Targher G., Formentini G., Calcaterra F., Lombardi S., Marini F., Zenari L., Saggiani F., Poli M., Perbellini S., Raffaelli A., Gemma M.L., Santi L., Bonadonna R.C., Muggeo M.
The Metabolic Syndrome is an independent predictor of cardiovascular disease in type 2 diabetic subjects. Prospective data from the Verona Diabetes Complications Study.
Diabet. Med. 21: 52-58, 2004.
118. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Meigs J.B., Bonadonna R.C., Muggeo M.
Population-Based Incidence Rates and Risk Factors for Type 2 Diabetes in Caucasians. The Bruneck Study.
Diabetes 53: 1782-1789, 2004.
119. Schett G., Kiechl S., Bonora E., Redlich K., Woloszczuk W., Oberhollenzer F., Jocher J., Dorizzi R., Muggeo M., Smolen J., Willeit J.
Serum leptin level and the risk of non-traumatic fracture.
Am. J. Med. 117: 952-956, 2004.
120. Veneri D., Franchini M., Bonora E.
Regression of type 2 diabetes with imatinib?
N. Engl. J. Med. 352: 1049-1050, 2005 (letter).
121. Bonora E.
The Metabolic Syndrome and cardiovascular disease.
Ann. Med. 38: 64-80, 2006.

122. Bonora E., Corrao G., Bagnardi V., Cervello A., Comaschi M., Montanari P., Meigs J.
Prevalence and correlates of post-prandial hyperglycemia in a large sample of patients with type 2 diabetes mellitus.
Diabetologia 49: 846-854, 2006.
123. Zoppini G, Verlato G, Zamboni C, Venturi C, Gennaro N, Biasi V, Bonora E, Muggeo M.
Pulse pressure and mortality from cerebrovascular diseases in Type 2 diabetic patients: The Verona Diabetes Study.
Cerebrovasc. Dis. 23: 20-26, 2007.
124. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Meigs J., Bonadonna R., Muggeo M.
Insulin resistance as estimated by homeostasis model assessment predicts incident symptomatic cardiovascular disease in Caucasian subjects from the general population. The Bruneck Study.
Diabetes Care 30: 318-324, 2007.
125. Sesti G., Capaldo B., Cavallo Perin P., Del Prato S., Paolisso G., Frittitta L., Frontoni S., Hribal M., Marchesini G., Piatti P., Solini A., Bonora E on behalf of the Group of Italian Scientists of Insulin Resistance.
Correspondence between the International Diabetes Federation criteria for Metabolic Syndrome and insulin resistance in a cohort of Italian nondiabetic caucasians. The GISIR database.
Diabetes Care 2007 30: e33-35, 2007.
126. Bonora E.
Antidiabetic medications in overweight/obese patients with type 2 diabetes: drawbacks of current drugs and potential advantages of incretin-based treatment on body weight.
Int. J. Clin. Pract. 154, suppl: 19-28, 2007.
127. Fourth Joint Task Force of the European Society of Cardiology and Other Societies on Cardiovascular Disease Prevention in Clinical Practice (Constituted by representatives of nine societies and by invited experts), Graham I, Atar D, Borch-Johnsen K, Boysen G, Burell G, Cifkova R, Dallongeville J, De Backer G, Ebrahim S, Gjelsvik B, Herrmann-Lingen C, Hoes A, Humphries S, Knapton M, Perk J, Priori SG, Pyorala K, Reiner Z, Ruilope L, Sans-Menendez S, Scholte OP, Reimer W, Weissberg P, Wood D, Yarnell J, Zamorano JL; Other experts who contributed to parts of the guidelines; Walma E, Fitzgerald T, Cooney MT, Dudina A; European Society of Cardiology (ESC) Committee for Practice Guidelines (CPG), Vahanian A, Camm J, De Caterina R, Dean V, Dickstein K, Funck-Brentano C, Filippatos G, Hellemans I, Kristensen SD, McGregor K, Sechtem U, Silber S, Tendera M, Widimsky P, Zamorano JL, Hellemans I, Altiner A, Bonora E, Durrington PN, Fagard R, Giampaoli S, Hemingway H, Hakansson J, Kjeldsen SE, Larsen ML, Mancina G, Manolis AJ, Orth-Gomer K, Pedersen T, Rayner M, Ryden L, Sammut M, Schneiderman N, Stalenhoef AF, Tokgözoğlu L, Wiklund O, Zampelas A.
European guidelines on cardiovascular disease prevention in clinical practice: executive summary.
Eur. Heart J. 19:2375-2414, 2007.
128. Graham I, Atar D, Borch-Johnsen K, Boysen G, Burell G, Cifkova R, Dallongeville J, De Backer G, Ebrahim S, Gjelsvik B, Herrmann-Lingen C, Hoes A, Humphries S, Knapton M, Perk J, Priori SG, Pyorala K, Reiner Z, Ruilope L, Sans-Menendez S, Scholte OP, Reimer WS, Weissberg P, Wood D, Yarnell J, Zamorano JL, Walma E, Fitzgerald T, Cooney MT, Dudina A, Vahanian A, Camm J, De Caterina R, Dean V, Dickstein K, Funck-Brentano C, Filippatos G, Hellemans I, Kristensen SD, McGregor K, Sechtem U, Silber S, Tendera M, Widimsky P, Zamorano JL, Altiner A, Bonora E, Durrington PN, Fagard R, Giampaoli S, Hemingway H, Hakansson J, Kjeldsen SE, Larsen ML, Mancina G, Manolis AJ, Orth-Gomer K, Pedersen T, Rayner M, Ryden L, Sammut M, Schneiderman N, Stalenhoef AF, Tokgözoğlu L, Wiklund O, Zampelas A; European Society of Cardiology (ESC); European Association for Cardiovascular Prevention and Rehabilitation (EACPR); Council on Cardiovascular Nursing; European Association for Study of Diabetes (EASD); International Diabetes Federation Europe (IDF-Europe); European Stroke Initiative (EUSI); International Society of Behavioural Medicine (ISBM); European Society of Hypertension (ESH); European Society of General Practice/Family Medicine (ESGP/FM/WONCA); European Heart Network (EHN).
European guidelines on cardiovascular disease prevention in clinical practice: executive summary. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited experts).
Eur. J. Cardiovasc. Prev. Rehabil. 14 Suppl 2:E1-40, 2007.

129. Graham I, Atar D, Borch-Johnsen K, Boysen G, Burell G, Cifkova R, Dallongeville J, De Backer G, Ebrahim S, Gjelsvik B, Herrmann-Lingen C, Hoes A, Humphries S, Knapton M, Perk J, Priori SG, Pyorala K, Reiner Z, Ruilope L, Sans-Menendez S, Scholte OP, Reimer WS, Weissberg P, Wood D, Yarnell J, Zamorano JL, Walma E, Fitzgerald T, Cooney MT, Dudina A, Vahanian A, Camm J, De Caterina R, Dean V, Dickstein K, Funck-Brentano C, Filippatos G, Hellemans I, Kristensen SD, McGregor K, Sechtem U, Silber S, Tendera M, Widimsky P, Zamorano JL, Altiner A, Bonora E, Durrington PN, Fagard R, Giampaoli S, Hemingway H, Hakansson J, Kjeldsen SE, Larsen L, Mancina G, Manolis AJ, Orth-Gomer K, Pedersen T, Rayner M, Ryden L, Sammut M, Schneiderman N, Stalenhoef AF, Tokgözoğlu L, Wiklund O, Zampelas A; European Society of Cardiology (ESC); European Association for Cardiovascular Prevention and Rehabilitation (EACPR); Council on Cardiovascular Nursing; European Association for Study of Diabetes (EASD); International Diabetes Federation Europe (IDF-Europe); European Stroke Initiative (EUSI); Society of Behavioural Medicine (ISBM); European Society of Hypertension (ESH); WONCA Europe (European Society of General Practice/Family Medicine); European Heart Network (EHN); European Atherosclerosis Society (EAS).

European guidelines on cardiovascular disease prevention in clinical practice: full text. Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice (constituted by representatives of nine societies and by invited experts).

Eur. J. Cardiovasc. Prev. Rehabil. 14: Suppl 2:S1-113, 2007.

130. Bonora E.

Protection of pancreatic beta-cells: is it feasible?

Nutr. Metab. Cardiovasc. Dis. 18: 74-83, 2008.

131. Sesti G., Andreozzi F., Bonadonna R.C., De Mattia G., Legnetti F., Luzi L., Marini M.A., Natali A., Vettor R., Bonora E. on behalf of the Group of Italian Scientists of Insulin Resistance.

Impact of lowering the criterion for impaired fasting glucose on identification of individuals with insulin resistance. The GISIR database.

Diabetes Metab. Res. Rev. 24: 130-136, 2008.

132. Luzi L., Zoppini G., Targher G., Battezzati A., Muggeo M., Bonora E.

Insulin effect on serum potassium and auto-inhibition of insulin secretion is intact in a patient with leprechaunism despite severe impairment of substrates metabolism.

Diabetes Metab. Res. Rev. 24: 205-210, 2008.

133. Bonora E., Capaldo B., Cavallo Perin P., Del Prato S., De Mattia G., Frittitta L., Frontoni S., Legnetti F., Luzi L., Marchesini G., Marini M.A., Natali A., Paolisso G., Piatti P.M., Pujia A., Solini A., Vettor R., Bonadonna R.C. on behalf of the Group of Italian Scientists of Insulin Resistance (GISIR).

Hyperinsulinemia and insulin resistance are independently associated with plasma lipids, uric acid and blood pressure in nondiabetic subjects. The GISIR database.

Nutr. Metab. Cardiovasc. Dis. 18: 624-631, 2008.

134. Zoppini G., Verlato G., Targher G., Bonora E., Trombetta M., Muggeo M.

Variability of body weight, pulse pressure and glycaemia strongly predict total mortality in elderly type 2 diabetic patients. The Verona Diabetes Study.

Diabetes Metab. Res. Rev. 24: 624-628, 2008.

135. Bonora E.

El papel fundamental de la disfuncion de las células beta en el patogenicia de la diabetes tipo 2.

Biodrugs 23 (suppl 1): 5-12, 2009.

136. Zoppini G., Verlato G., Targher G., Casati S., Gusson E., Biasi V., Perrone F., Bonora E., Muggeo M.

Is fasting glucose variability a risk factor for retinopathy in people with type 2 diabetes?

Nutr. Metab. Cardiovasc. Dis. 19: 334-339, 2009.

137. Schett G., Kiechl S., Bonora E., Zwerina J., Mayr A., Axmann R., Redlich K., Weger S., Oberhollenzer F., Lorenzini R., Willeit J.

Vascular adhesion molecule-1 as a predictor for severe osteoarthritis of hip and knee joints.

Arthritis Rheumatism 60: 2381-2389, 2009.

138. The International Expert Committee (David M. Nathan (Chair), Beverly Balkau, Enzo Bonora, Knut Borch-Johnsen, John B. Buse, Stephen Colagiuri, Mayer B. Davidson, Ralph DeFronzo, Saul Genuth, Rury R. Holman, Linong Ji, Sue Kirkman, William C. Knowler, Desmond Schatz, Jonathan Shaw, Eugene Sobngwi, Michael Steffes, Olga Vaccaro, Nick Wareham, Bernard Zinman, Richard Kahn).

International Expert Committee Report on the role of A1c assay in the diagnosis of diabetes.

Diabetes Care 32: 1327-1333, 2009.

139. Zoppini G., Targher G., Negri C., Stoico V., Perrone F., Muggeo M., Bonora E.

Elevated serum uric acid concentrations independently predict cardiovascular mortality in type 2 diabetic patients.

Diabetes Care 32: 1716-1720, 2009.

140. Targher G., Pichiri I., Zoppini G., Bonora E., Conchol M.

Hemostatic and fibrinolytic abnormalities in endocrine diseases: a narrative review.

Sem. Thromb. Hemost. 35: 605-612, 2009.

141. Zoppini G., Targher G., Chonchol M., Negri C., Stoico V., Pichiri I., Lippi G., Muggeo M., Bonora E.

Anaemia, independent of chronic kidney disease, predicts all-cause and cardiovascular mortality in type 2 diabetic patients.

Atherosclerosis 210: 575-580, 2010.

142. Targher G., Bertolini L., Chonchol M., Rodella S., Zoppini G., Lippi G., Zenari L., Bonora E.

Non-alcoholic fatty liver disease is independently associated with an increase prevalence of chronic kidney disease and retinopathy in type 1 diabetic patients.

Diabetologia 53: 1341-1348, 2010.

143. Targher G., Bertolini L., Padovani R., Rodella S., Zoppini G., Pichiri I., Sorgato C., Zenari L., Bonora E.

Prevalence of non-alcoholic fatty liver disease and its association with cardiovascular disease in patients with type 1 diabetes.

J. Hepatol. 53: 713-718, 2010.

144. Zoppini G., Targher G., Negri C., Stoico V., Gemma M.L., Bonora E.

Usefulness of the triglyceride to high-density lipoprotein cholesterol ratio for predicting mortality risk in type 2 diabetes: Role of kidney dysfunction.

Atherosclerosis 212: 287-291, 2010.

145. Zampetaki A., Kiechl S., Drozdov I., Willeit P., Mayr U., Prokopi M., Mayr A., Weger S., Oberhollenzer F., Bonora E., Shah A., Willeit J., Mayr M.

Plasma MicroRNA Profiling Reveals Loss of Endothelial MiR-126 and Other MicroRNAs in Type 2 Diabetes.

Circ. Res. 107: 810-817, 2010.

146. Montemurro C., Köhler C.U., Uhl W., Tannapfel A., Schmidt W.E., Bonora E., Meier J.J.

Endogenous hyperinsulinaemia in insulinoma patients is not associated with changes in beta-cell area and turnover in the tumor-adjacent pancreas.

Regul. Pept. 165: 180-185, 2010.

147. Targher G., Day C.P., Bonora E.

Risk of cardiovascular disease in patients with nonalcoholic fatty liver disease.

N. Engl. J. Med. 363: 1341-1350, 2010.

148. Negri C., Bacchi E., Morgante S., Soave D., Marques A., Menghini E., Muggeo M., Bonora E., Moghetti P.

Supervised walking groups to increase physical activity in type 2 diabetic patients.

Diabetes Care 33: 2333-2335, 2010.

149. Tosi F., Negri C., Brun E., Castello R., Faccini G., Bonora E., Muggeo M., Toscano V., Moghetti P.

Insulin enhances ACTH-stimulated androgen and glucocorticoid metabolism in hyperandrogenic women.

Eur. J. Endocrinol. 164: 197-203, 2011.

150. Bonetti S., Trombetta M., Malerba G., Boselli L., Trabetti E., Muggeo M., Stoico V., Negri C., Pignatti P.F., Bonora E., Bonadonna R.C.
Variants and haplotypes of TCF7L2 are associated with β -cell function in patients with newly diagnosed type 2 diabetes: the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS). 1.
J. Clin. Endocrinol. Metab. 96: E389-393, 2011.
151. Bonora E., Kiechl S., Mayr A., Zoppini G., Targher G., Bonadonna R.C., Willeit J.
High-normal HbA1c is a strong predictor of type 2 diabetes in the general population.
Diabetes Care 34: 1038-1040, 2011.
152. Targher G., Zoppini G., Chonchol M., Negri C., Stoico V., Perrone F., Muggeo M., Bonora E.
Glomerular filtration rate, albuminuria and risk of cardiovascular and all-cause mortality in type 2 diabetic individuals.
Nutr. Metab. Cardiovasc. Dis. 21: 294-301, 2011.
153. Targher G., Chonchol M., Zoppini G., Abaterusso C., Bonora E.
Risk of chronic kidney disease in patients with non-alcoholic fatty liver disease: is there a link?
J. Hepatol. 54: 1020-1029, 2011.
154. Bonetti S., Trombetta M., Boselli M.L., Turrini F., Malerba G., Trabetti E., Pignatti P.F., Bonora E., Bonadonna R.C.
Variants of GCKR affect both β -cell and kidney function in patients with newly diagnosed type 2 diabetes: The Verona Newly Diagnosed Type 2 Diabetes Study. 2.
Diabetes Care 34: 1205-1210, 2011.
155. Bonora E., Kiechl S., Zoppini G., Targher G., Meigs J.B., Willeit J., Oberhollenzer F., Bonadonna R.C., Muggeo M.
Impact of reference category and number of traits in the cluster on risk of coronary heart disease in metabolic syndrome: prospective data from the Bruneck Study.
Metab. Syndr. Relat. Disord. 9: 313-318, 2011.
156. Bruno G., De Micheli A., Frontoni S., Monge L.; SID-AMD Working Group on the Standards of Care for Diabetes (Collaborators: Bruno G., De Micheli A., Frontoni S., Monge L., Bonomo M., De Cosmo S., Grassi G., Nicolucci A., Aiello A., Bertuzzi F., Bonora E., Cimino A., Cordera R., de Bigontina G., Di Bartolo P., Dotta F., Frittitta L., Giaccari A., Giorgino F., Gruden G., Marchetti P., Meschi F., Pellegrini M.A., Rivellesse A., Sesti G.
Highlights from "Italian Standards for the Treatment of Diabetes Mellitus 2009-2010".
Nutr. Metab. Cardiovasc. Dis. 21: 302-314, 2011.
157. Bonora E., Tuomilehto J.
The pros and cons of diagnosing diabetes with A1C.
Diabetes Care 34, Suppl 2: S184-90, 2011.
158. Pugliese G., Solini A., Bonora E., Orsi E., Zerbini G., Giorgino F., Cavalot F., Pontiroli A.E., Baroni M.G., Morano S., Nicolucci A., Penno G.
The chronic kidney disease epidemiology collaboration (CKD-EPI) equation provides a better definition of cardiovascular burden associated with CKD than the Modification of Diet in Renal Disease (MDRD) Study formula in subjects with type 2 diabetes.
Atherosclerosis 218: 194-199, 2011.
159. Penno G., Solini A., Bonora E., Fondelli C., Orsi E., Zerbini G., Trevisan R., Vedovato M., Gruden G., Cavalot F., Cignarelli M., Laviola L., Morano S., Nicolucci A., Pugliese G.; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Clinical significance of nonalbuminuric renal impairment in type 2 diabetes.
J. Hypertens. 29: 1802-1809, 2011.

160. Bonora E.
The use of HbA(1c) for the diagnosis of diabetes.
Curr. Diab. Rep. 11: 470-471, 2011.
161. Zoppini G., Targher G., Bonora E.
The role of serum uric acid in cardiovascular disease in Type 2 diabetic and non-diabetic subjects: a narrative review.
J. Endocrinol. Invest. 34: 881-886, 2011.
162. Kiechl S., Parè G., Barbalic M., Dupuis J., Dehghan A., Bis J.C., Laxton R.C., Xiao Q., Bonora E., Willeit J., Xu Q., Witteman J.C., Chasman D., Tracy R.P., Ballantyne C.M., Ridker P.M., Benjamin E.J., Ye S.
Association of variation at the ABO locus with circulating levels of sICAM-1, sP-selectin and sE-selectin: a Meta-Analysis.
Circ. Cardiovasc. Genet. 4: 681-686, 2011.
163. Targher G., Pichiri I., Zoppini G., Trombetta M., Bonora E.
Increased prevalence of chronic kidney disease in patients with Type 1 diabetes and non-alcoholic fatty liver.
Diabet. Med. 29: 220-226, 2012.
164. Targher G., Pichiri I., Zoppini G., Trombetta M., Bonora E.
Increased prevalence of cardiovascular disease in Type 1 diabetic patients with non-alcoholic fatty liver disease.
J. Endocrinol. Invest. 35: 535-540, 2012
165. Zoppini G., Negri C., Stoico V., Casati S., Pichiri I., Bonora E.
Triglyceride-high-density lipoprotein cholesterol is associated with microvascular complications in type 2 diabetes mellitus.
Metabolism 61: 22-29, 2012.
166. Zoppini G., Targher G., Chonchol M., Ortalda V., Abaterusso C., Pichiri I., Negri C., Bonora E.
Serum uric acid levels and incident chronic kidney disease in patients with type 2 diabetes and preserved kidney function.
Diabetes Care 35: 99-104, 2012.
167. Solini A., Penno G., Bonora E., Fondelli C., Orsi E., Arosio M., Trevisan R., Vedovato M., Cignarelli M., Andreozzi F., Nicolucci A., Pugliese G.; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Diverging association of reduced glomerular filtration rate and albuminuria with coronary and noncoronary events in patients with type 2 diabetes: The Renal Insufficiency and Cardiovascular Events (RIACE) Italian Multicentre Study.
Diabetes Care 35: 143-149, 2012.
168. Zoppini G., Targher G., Chonchol M., Ortalda V., Negri C., Stoico V., Bonora E.
Predictors of estimated GFR decline in patients with type 2 diabetes and preserved kidney function.
Clin. J. Am. Soc. Nephrol. 7: 401-408, 2012.
169. Mantovani A., Zoppini G., Targher G., Golia G., Bonora E.
Non-alcoholic fatty liver disease is independently associated with left ventricular hypertrophy in hypertensive type 2 diabetic individuals.
J. Endocrinol. Invest. 35: 215-218, 2012.
170. Trombetta M., Bonetti S., Boselli M., Turrini F., Malerba G., Trabetti E., Pignatti P., Bonora E., Bonadonna R.C.
CACNA1E variants affect beta cell function in patients with newly diagnosed type 2 diabetes. the Verona newly diagnosed type 2 diabetes study (VNDS) 3.
PLoS One 7: e32755, 2012.

171. Tosi F., Negri C., Perrone F., Dorizzi R., Castello R., Bonora E., Moghetti P.
Hyperinsulinemia amplifies GnRH agonist stimulated ovarian steroid secretion in women with polycystic ovary syndrome.
J. Clin. Endocrinol. Metab. 97: 1712-1719, 2012.
172. Bacchi E., Negri C., Zanolin M.E., Milanese C., Faccioli N., Trombetta M., Zoppini G., Cevese A., Bonadonna R.C., Schena F., Bonora E., Lanza M., Moghetti P.
Metabolic effects of aerobic training and resistance training in type 2 diabetic subjects: a randomized controlled trial (the RAED2 study).
Diabetes Care 35: 676-682, 2012.
173. Bonora E., Targher G.
Increased risk of cardiovascular disease and chronic kidney disease in NAFLD.
Nat. Rev. Gastroenterol. Hepatol. 9: 372-381, 2012.
174. Rossi A., Targher G., Zoppini G., Ciccoira M., Bonapace S., Negri C., Stoico V., Faggiano P., Vassanelli C., Bonora E.
Aortic and mitral annular calcification are predictive of all-cause and cardiovascular mortality in patients with type 2 diabetes.
Diabetes Care 35: 1781-1786, 2012.
175. Targher G., Zoppini G., Mantovani W., Chonchol M., Negri C., Stoico V., Mantovani A., De Santi F., Bonora E.
Comparison of two creatinine-based estimating equations in predicting all-cause and cardiovascular mortality in patients with type 2 diabetes.
Diabetes Care 35: 2347-2353, 2012.
176. Bruno G., Bonora E., Miccoli R., Vaccaro O., Rossi E., Bernardi D., De Rosa M., Marchesini G.; SID-CINECA ARNO Working Group.
Quality of diabetes care in Italy: information from a large population-based multiregional observatory (ARNO diabetes).
Diabetes Care 35: e64, 2012.
177. Vaccaro O., Masulli M., Bonora E., Del Prato S., Nicolucci A., Rivellese A.A., Riccardi G. on behalf of the TOSCA.IT Study Group.
The TOSCA.IT Trial: A study designed to evaluate the effect of pioglitazone versus sulfonylureas on cardiovascular disease in type 2 diabetes.
Diabetes Care 35: e82, 2012.
178. Bacchi E., Negri C., Trombetta M., Zanolin M.E., Lanza M., Bonora E., Moghetti P.
Differences in the acute effects of aerobic and resistance exercise in subjects with type 2 diabetes: results from the RAED2 randomized trial.
PLoS One 7: e49937, 2012.
179. Vaccaro O., Masulli M., Bonora E., Del Prato S., Giorda C.B., Maggioni A.P., Mocarelli P., Nicolucci A., Rivellese A.A., Squatrito S., Riccardi G.; on behalf of the TOSCA.IT study group (Thiazolidinediones Or Sulphonylureas and Cardiovascular Accidents.Intervention Trial).
Addition of either pioglitazone or a sulfonylurea in type 2 diabetic patients inadequately controlled with metformin alone: Impact on cardiovascular events. A randomized controlled trial.
Nutr. Metab. Cardiovasc. Dis. 22: 997-1006, 2012.
180. Trombetta M., Bonetti S., Boselli M.L., Miccoli R., Trabetti E., Malerba G., Pignatti P.F., Bonora E., Del Prato S., Bonadonna R.C.
PPARG2 Pro12Ala and ADAMTS9 rs4607103 as "insulin resistance loci" and "insulin secretion loci" in Italian individuals. The GENFIEV study and the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 4.
Acta Diabetol. 50: 401-408, 2013.

181. Trombetta M., Boselli L., Cretti A., Cali A., Vettore M., Caruso B., Dorizzi R., Avogaro A., Muggeo M., Bonora E., Bonadonna R.C.

Type 2 diabetes mellitus: a disease of the governance of the glucose-insulin system. An experimental metabolic control analysis study.

Nutr. Metab. Cardiovasc. Dis. 23: 23-30, 2013.

182. Kiechl S, Wittmann J, Giaccari A, Knoflach M, Willeit P, Bozec A, Moschen AR, Muscogiuri G, Sorice GP, Kireva T, Summerer M, Wirtz S, Luther J, Mielenz D, Billmeier U, Egger G, Mayr A, Oberhollenzer F, Kronenberg F, Orthofer M, Penninger JM, Meigs JB, Bonora E, Tilg H, Willeit J, Schett G.

Blockade of receptor activator of nuclear factor- κ B (RANKL) signaling improves hepatic insulin resistance and prevents development of diabetes mellitus.

Nat. Med. 19:358-63, 2013.

183. Moghetti P, Tosi F, Bonin C, Di Sarra D, Fiers T, Kaufman JM, Giagulli VA, Signori C, Zambotti F, Dall'Alda M, Spiazzi G, Zanolin ME, Bonora E.

Divergences in insulin resistance between the different phenotypes of the polycystic ovary syndrome.

J. Clin. Endocrinol. Metab. 98: E628-37, 2013.

184. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Morano S, Cavalot F, Lamacchia O, Laviola L, Nicolucci A, Pugliese G; for the Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.

HbA1c variability as an independent correlate of nephropathy, but not retinopathy, in patients with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study

Diabetes Care 36: 2301-2310, 2013.

185. Bacchi E, Negri C, Targher G, Faccioli N, Lanza M, Zoppini G, Zanolin E, Schena F, Bonora E, Moghetti P.

Both resistance training and aerobic training reduce hepatic fat content in type 2 diabetic subjects with NAFLD (The RAED2 randomized trial).

Hepatology 58: 1287-1295, 2013

186. Di Sarra D, Tosi F, Bonin C, Fiers T, Kaufman JM, Signori C, Zambotti F, Dall'Alda M, Caruso B, Zanolin ME, Bonora E, Moghetti P.

Metabolic inflexibility is a feature of women with polycystic ovary syndrome and is associated with both insulin resistance and hyperandrogenism.

J. Clin. Endocrinol. Metab. 98: 2581-2588, 2013.

187. Targher G, Mantovani A, Pichiri I, Rigolon R, Dauriz M, Zoppini G, Morani G, Vassanelli C, Bonora E. Non-alcoholic fatty liver disease is associated with an increased prevalence of atrial fibrillation in hospitalized patients with type 2 diabetes.

Clin. Sci. 125: 301-309, 2013.

188. Penno G, Solini A, Bonora E, Fondelli C, Orsi E, Zerbini G, Trevisan R, Vedovato M, Gruden G, Laviola L, Nicolucci A, Pugliese G; the Renal Insufficiency And Cardiovascular Events (RIACE) study, group.

Gender differences in cardiovascular disease risk factors, treatments and complications in patients with type 2 diabetes: the RIACE Italian multicentre study.

J. Intern. Med. 274: 176-191, 2013.

189. Grasso V, Colombo C, Favalli V, Galderisi A, Rabbone I, Gombos S, Bonora E, Massa O, Meschi F, Cerutti F, Iafusco D, Bonfanti R, Monciotti C, Barbetti F.

Six cases with severe insulin resistance (SIR) associated with mutations of insulin receptor: Is a Bartter-like syndrome a feature of congenital SIR?

Acta Diabetol. 50: 951-957, 2013.

190. Solini A, Penno G, Bonora E, Fondelli C, Orsi E, Trevisan R, Vedovato M, Cavalot F, Cignarelli M, Morano S, Ferrannini E, Pugliese G; Renal Insufficiency and Cardiovascular Events Study Group.

Age, renal dysfunction, cardiovascular disease, and antihyperglycemic treatment in type 2 diabetes mellitus: findings from the renal insufficiency and cardiovascular events italian multicenter study.

J. Am. Geriatr. Soc. 61:1253-1261, 2013.

191. Cioffi G, Rossi A, Zoppini G, Targher G, de Simone G, Devereux RB, Vassanelli C, Bonora E.
Inappropriate left ventricular mass independently predicts cardiovascular mortality in patients with type 2 diabetes.
Int. J. Cardiol. 168: 4953-4956, 2013.
192. Zoppini G, Galletti A, Targher G, Brangani C, Pichiri I, Negri C, Stoico V, Cacciatori V, Bonora E.
Glycated haemoglobin is inversely related to serum vitamin D levels in type 2 diabetic patients.
PLoS One 8: e82733, 2013.
193. Tosi F, Di Sarra D, Bonin C, Zambotti F, Dall'alda M, Fiers T, Kaufman JM, Donati M, Franchi M, Zanolin ME, Bonora E, Moghetti P.
Plasma levels of pentraxin-3, an inflammatory protein involved in fertility, are reduced in women with polycystic ovary syndrome.
Eur. J. Endocrinol. 170: 401-409, 2014.
194. Sacks FM, Hermans MP, Fioretto P, Valensi P, Davis T, Horton E, Wanner C, Al-Rubeaan K, Aronson R, Barzon I, Bishop L, Bonora E, Bunnag P, Chuang LM, Deerochanawong C, Goldenberg R, Harshfield B, Hernández C, Herzlinger-Botein S, Itoh H, Jia W, Jiang YD, Kadowaki T, Laranjo N, Leiter L, Miwa T, Odawara M, Ohashi K, Ohno A, Pan C, Pan J, Pedro-Botet J, Reiner Z, Rotella CM, Simo R, Tanaka M, Tedeschi-Reiner E, Twum-Barima D, Zoppini G, Carey VJ.
Association between plasma triglycerides and HDL-cholesterol and microvascular kidney disease and retinopathy in type 2 diabetes: a global case-control study in 13 countries.
Circulation 129: 999-1008, 2014.
195. Bacchi E, Negri C, Tarperi C, Baraldo A, Faccioli N, Milanese C, Zanolin ME, Lanza M, Cevese A, Bonora E, Schena F, Moghetti P.
Relationships between cardiorespiratory fitness, metabolic control, and fat distribution in type 2 diabetes subjects.
Acta Diabetol. 51: 369-375, 2014.
196. Squintani G, Zoppini G, Donato F, Pineschi E, Donini D, Stoico V, Moretto G, Bonora E, Morini A.
Antidromic sensory nerve conduction study of the digital branches of the medial plantar nerve: A novel method to detect early diabetic sensory axonal polyneuropathy.
Muscle Nerve 50: 193-199; 2014.
197. Marchesini G, Bernardi D, Miccoli R, Rossi E, Vaccaro O, De Rosa M, Bonora E, Bruno G.
Under-treatment of migrants with diabetes in a universalistic health care system: The ARNO Observatory.
Nutr. Metab. Cardiovasc. Dis. 24: 393-399, 2014.
198. Cioffi G., Rossi A., Targher G., Zoppini G., de Simone G., Devereux R.B., Bonora E., Vassanelli C.
Usefulness of subclinical left ventricular midwall dysfunction to predict cardiovascular mortality in patients with type 2 diabetes mellitus.
Am. J. Cardiol. 113: 1409-1414, 2014
199. Targher G., Valbusa F., Bonapace S., Bertolini L., Zenari L., Pichiri I., Mantovani A., Zoppini G., Bonora E., Barbieri E., Byrne C.D.
Association of nonalcoholic fatty liver disease with QTc interval in patients with type 2 diabetes.
Nutr. Metab. Cardiovasc. Dis. 24: 663-669, 2014.
200. Pugliese G., Solini A., Bonora E., Orsi E., Zerbini G., Fondelli C., Gruden G., Cavalot F., Lamacchia O., Trevisan R., Vedovato M., Penno G.; RIACE Study Group.
Distribution of cardiovascular disease and retinopathy in patients with type 2 diabetes according to different classification systems for chronic kidney disease: a cross-sectional analysis of the renal insufficiency and cardiovascular events (RIACE) Italian multicenter study.
Cardiovasc. Diabetol. 13:59-65, 2014.

201. Targher G., Mantovani A., Pichiri I., Mingolla L., Cavalieri V., Mantovani W. Pancheri S., Trombetta M., Zoppini G., Chonchol M., Byrne C.D., Bonora E.
Nonalcoholic fatty liver disease is independently associated with an increased incidence of chronic kidney disease in patients with type 1 diabetes.
Diabetes Care 37: 1729-1736, 2014
202. Pugliese G., Solini A., Bonora E., Fondelli C., Orsi E., Nicolucci A., Penno G., RIACE Study Group
Chronic kidney disease in type 2 diabetes: lessons from the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicentre Study.
Nutr. Metab. Cardiovasc. Dis. 24: 815-822, 2014.
203. Pechlaner R., Kiechl S., Willeit P., Demetz E., Haun M., Weger S., Oberhollenzer F., Kronenberg F., Bonora E., Weiss G., Willeit J.
Haptoglobin 2-2 genotype is not associated with cardiovascular risk in subjects with elevated glycohemoglobin-results from the Bruneck Study.
J. Am. Heart Assoc. 3: e000732, 2014
204. Pozzilli P., Strollo R., Bonora E.
One size does not fit all glycemic targets for type 2 diabetes.
J Diabetes Investig. 5: 134-141, 2014
205. Zoppini G., Fedeli U., Gennaro N., Saugo M., Targher G., Bonora E.
Mortality from chronic liver diseases in diabetes.
Am. J. Gastroenterol. 109: 1020-1025, 2014
206. Targher G., Zoppini G., Bonora E., Moghetti P.
Hemostatic and fibrinolytic abnormalities in polycystic ovary syndrome.
Semin. Thromb. Hemost. 40: 600-618, 2014
207. Zanetti M., Zenti M.G., Barazzoni R., Zardi F., Semolic A., Messa M.G., Mearelli F., Russi G., Fonda M., Scarano L., Bonora E., Cattin L.
HELP LDL Apheresis Reduces Plasma Pentraxin 3 in Familial Hypercholesterolemia.
PLoS One. 9: e101290, 2014.
208. Vaccaro O., Masulli M., Bonora E., Del Prato S., Riccardi G.; TOSCA.IT Study Group.
Cardiovascular outcome trials of glucose-lowering strategies in type 2 diabetes.
Lancet 384:1096, 2014
209. Nadalini L., Zenti M.G., Masotto L., Indelicato L., Fainelli G., Bonora F., Battistoni M., Romani B., Genna M., Zoppini G., Bonora E.
Improved Quality of Life after bariatric surgery in morbidly obese patients. Interdisciplinary group of bariatric surgery of Verona (G.I.C.O.V.).
G. Chir. 35: 161-164. 2014.
210. Tosi F., Di Sarra D., Kaufman J.M., Bonin C., Moretta R., Bonora E., Zanolini E., Moghetti P.
Total body fat and central fat mass independently predict insulin resistance but not hyperandrogenemia in women with polycystic ovary syndrome.
J. Clin. Endocrinol. Metab. 100: 661-669, 2015
211. Dauriz M., Porneala B.C., Guo X., Bielak L.F., Peyser P.A., Durant N.H., Carnethon M.R., Bonadonna R.C., Bonora E., Bowden D.W., Florez J.C., Fornage M., Hivert M.F., Jacobs D.R. Jr, Kabagambe E.K., Lewis C.E., Murabito J.M., Rasmussen-Torvik L.J., Rich S.S., Vassy J.L., Yao J., Carr J.J., Kardia S.L., Siscovick D., O'Donnell C.J., Rotter J.I., Dupuis J., Meigs J.B.
Association of a 62 variants type 2 diabetes genetic risk score with markers of subclinical atherosclerosis: a transethnic, multicenter study.
Circ. Cardiovasc. Genet. 8:507-515, 2015

212. Zenti M.G., Rubbo I., Ceradini G., Rinaldi E., Nadalini L., Battistoni M., Genna M., Bonora E., Zoppini G. Clinical factors that predict remission of diabetes after different bariatric surgical procedures: interdisciplinary group of bariatric surgery of Verona (G.I.C.O.V.). **Acta Diabetol.** 52:937-42, 2015.
213. Zoppini G, Galletti A, Targher G, Brangani C, Pichiri I, Trombetta M, Negri C, De Santi F, Stoico V, Cacciatori V, Bonora E.
Lower levels of 25-hydroxyvitamin D3 are associated with a higher prevalence of microvascular complications in patients with type 2 diabetes.
BMJ Open Diabetes Res. Care 3: e000058, 2015.
214. Mantovani A, Pernigo M, Bergamini C, Bonapace S, Lipari P, Valbusa F, Bertolini L, Zenari L, Pichiri I, Dauriz M, Zoppini G, Barbieri E, Byrne CD, Bonora E, Targher G.
Heart valve calcification in patients with type 2 diabetes and nonalcoholic fatty liver disease.
Metabolism 64:879-87, 2015.
215. Bonapace S, Rossi A, Lipari P, Bertolini L, Zenari L, Lanzoni L, Canali G, Molon G, Mantovani A, Zoppini G, Bonora E, Barbieri E, Targher G.
Relationship between increased left atrial volume and microvascular complications in patients with type 2 diabetes.
J. Diabetes Complications 29:822-8, 2015.
216. Zoppini G, Cacciatori V, Raimondo D, Gemma M, Trombetta M, Dauriz M, Brangani C, Pichiri I, Negri C, Stoico V, Bergamini C, Targher G, Santi L, Thomaseth K, Bellavere F, Bonadonna RC, Bonora E.
Prevalence of cardiovascular autonomic neuropathy in a cohort of patients with newly diagnosed type 2 diabetes: The Verona Newly Diagnosed Type 2 Diabetes Study (VNDS).
Diabetes Care 38:1487-93, 2015.
217. Bacchi E, Negri C, Di Sarra D, Tosi F, Tarperi C, Moretta R, Schena F, Bonora E, Kaufman JM, Moghetti P.
Serum testosterone predicts cardiorespiratory fitness impairment in normal-weight women with polycystic ovary syndrome.
Clin. Endocrinol. 83:895-901, 2015.
218. Mantovani A, Pernigo M, Bergamini C, Bonapace S, Lipari P, Pichiri I, Bertolini L, Valbusa F, Barbieri E, Zoppini G, Bonora E, Targher G.
Nonalcoholic fatty liver disease is independently associated with early left ventricular diastolic dysfunction in patients with type 2 diabetes.
PLoS One 10: e0135329, 2015.
219. Salvotelli L, Stoico V, Perrone F, Cacciatori V, Negri C, Brangani C, Pichiri I, Targher G, Bonora E, Zoppini G.
Prevalence of neuropathy in type 2 diabetic patients and its association with other diabetes complications: The Verona Diabetic Foot Screening Program.
J. Diabetes Complications 29:1066-70, 2015.
220. Mantovani A, Rigolon R, Pichiri I, Pernigo M, Bergamini C, Zoppini G, Bonora E, Targher G.
Hyperuricemia is associated with an increased prevalence of atrial fibrillation in hospitalized patients with type 2 diabetes.
J. Endocrinol. Invest. 39:159-67, 2016.
221. Pechlaner R, Weiss G, Bansal S, Mayr M, Santer P, Pallhuber B, Notdurfter M, Bonora E, Willeit J, Kiechl S.
Inadequate hepcidin serum concentrations predict incident type 2 diabetes mellitus.
Diabetes Metab. Res. Rev. 32:187-92, 2016.

222. Gulizia MM, Colivicchi F, Ricciardi G, Giampaoli S, Maggioni AP, Averna M, Graziani MS, Ceriotti F, Mugelli A, Rossi F, Medea G, Parretti D, Abrignani MG, Arca M, Filardi PP, Perticone F, Catapano A, Griffo R, Nardi F, Riccio C, Di Lenarda A, Scherillo M, Musacchio N, Panno AV, Zito GB, Campanini M, Bolognese L, Faggiano PM, Musumeci G, Pusineri E, Ciaccio M, Bonora E, Cantelli Forti G, Ruggieri MP, Cricelli C, Romeo F, Ferrari R, Maseri A.

ANMCO/ISS/AMD/ANCE/ARCA/FADOI/GICR-IACPR/SICI-GISE/SIBioC/SIC/SICOA/SID/SIF/SIMEU/SIMG/SIMI/SISA Consensus document. Hypercholesterolemia and cardiovascular risk: diagnostic and therapeutic pathways in Italy.
G Ital Cardiol. 17:3S-57, 2016

223. Vitale M, Masulli M, Rivellese AA, Babini AC, Boemi M, Bonora E, Buzzetti R, Ciano O, Cignarelli M, Cigolini M, Clemente G, Citro G, Corsi L, Dall'Aglia E, Del Prato S, Di Cianni G, Dolci MA, Giordano C, Iannarelli R, Iovine C, Lapolla A, Lauro D, Leotta S, Mazzucchelli C, Montani V, Perriello G, Romano G, Romeo F, Santarelli L, di Cola RS, Squatrito S, Tonutti L, Trevisan R, Turco AA, Zamboni C, Riccardi G, Vaccaro O.

Influence of dietary fat and carbohydrates proportions on plasma lipids, glucose control and low-grade inflammation in patients with type 2 diabetes-The TOSCA.IT Study.

Eur. J. Nutr. 55:1645-51, 2016.

224. Dauriz M, Trombetta M, Boselli L, Santi L, Brangani C, Pichiri I, Bonora E, Bonadonna RC.

Interleukin-6 as a potential positive modulator of human beta-cell function: an exploratory analysis-the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 6.

Acta Diabetol. 53:393-402, 2016.

225. Tosi F, Fiers T, Kaufman JM, Dall'Alda M, Moretta R, Giagulli VA, Bonora E, Moghetti P.

Implications of androgen assay accuracy in the phenotyping of women with polycystic ovary syndrome.

J. Clin. Endocrinol. Metab. 101:610-8, 2016.

226. Trombetta M, Dauriz M, Bonetti S, Travia D, Boselli L, Santi L, Bonora E, Bonadonna RC.

Is common genetic variation at IRS1, ENPP1 and TRIB3 loci associated with cardiometabolic phenotypes in type 2 diabetes? An exploratory analysis of the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 5.

Nutr. Metab. Cardiovasc. Dis. 26:232-8, 2016.

227. Bonora E, Bryzinski B, Hirshberg B, Cook W.

A post hoc analysis of saxagliptin efficacy and safety in patients with type 2 diabetes stratified by UKPDS 10-year cardiovascular risk score.

Nutr. Metab. Cardiovasc. Dis. 26:374-9, 2016.

228. Vitale M, Masulli M, Cocozza S, Anichini R, Babini AC, Boemi M, Bonora E, Buzzetti R, Carpinteri R, Caselli C, Ceccarelli E, Cignarelli M, Citro G, Clemente G, Consoli A, Corsi L, De Gregorio A, Di Bartolo P, Di Cianni G, Fontana L, Garofolo M, Giorda CB, Giordano C, Grioni S, Iovine C, Longhitano S, Mancastroppa G, Mazzucchelli C, Montani V, Mori M, Perriello G, Rinaldi ME, Ruffo MC, Salvi L, Sartore G, Scaranna C, Tonutti L, Zamboni C, Zogheri A, Krogh V, Cappellini F, Signorini S, Riccardi G, Vaccaro O; TOSCA.IT Study Group.

Sex differences in food choices, adherence to dietary recommendations and plasma lipid profile in type 2 diabetes - The TOSCA.IT study.

Nutr. Metab. Cardiovasc. Dis. 26:879-85, 2016.

229. Bonora E, Cigolini M.

DPP-4 inhibitors and cardiovascular disease in type 2 diabetes mellitus. Expectations, observations and perspectives.

Nutr. Metab. Cardiovasc. Dis. 26:273-84, 2016.

230. Mantovani A, Rigamonti A, Bonapace S, Bolzan B, Pernigo M, Morani G, Franceschini L, Bergamini C, Bertolini L, Valbusa F, Rigolon R, Pichiri I, Zoppini G, Bonora E, Violi F, Targher G.

Nonalcoholic fatty liver disease is associated with ventricular arrhythmias in patients with type 2 diabetes referred for clinically indicated 24-h holter monitoring.

Diabetes Care 39:1416-23, 2016.

231. Pagano E, De Rosa M, Rossi E, Cinconze E, Marchesini G, Miccoli R, Vaccaro O, Bonora E, Bruno G; ARNO Diabetes Observatory.
The relative burden of diabetes complications on healthcare costs: The population-based ARNO Diabetes Observatory, Italy.
Nutr. Metab. Cardiovasc. Dis. 26:944-50, 2016.
232. Avogaro A, Fadini GP, Sesti G, Bonora E, Del Prato S.
Continued efforts to translate diabetes cardiovascular outcome trials into clinical practice.
Cardiovasc. Diabetol. 15:111, 2016.
233. Mantovani A, Mingolla L, Rigolon R, Pichiri I, Cavalieri V, Zoppini G, Lippi G, Bonora E, Targher G.
Nonalcoholic fatty liver disease is independently associated with an increased incidence of cardiovascular disease in adult patients with type 1 diabetes.
Int. J. Cardiol. 225:387-391, 2016.
234. Zoppini G, Bonapace S, Bergamini C, Rossi A, Trombetta M, Lanzoni L, Bertolini L, Zenari L, Bonora E, Targher G.
Evidence of left atrial remodeling and left ventricular diastolic dysfunction in type 2 diabetes mellitus with preserved systolic function.
Nutr. Metab. Cardiovasc. Dis. 26:1026-1032, 2016
235. Zoppini G, Cacciatori V, Negri C, Stoico V, Lippi G, Targher G, Bonora E.
The aspartate aminotransferase-to-alanine aminotransferase ratio predicts all-cause and cardiovascular mortality in patients with type 2 diabetes.
Medicine 95: e4821, 2016.
236. Bruno G, Pagano E, Rossi E, Cataudella S, De Rosa M, Marchesini G, Miccoli R, Vaccaro O, Bonora E.
Incidence, prevalence, costs and quality of care of type 1 diabetes in Italy, age 0-29 years: The population-based CINECA-SID ARNO Observatory, 2002-2012.
Nutr. Metab. Cardiovasc. Dis. 26:1104-1111, 2016.
237. Marchetti L, Reali F, Dauriz M, Brangani C, Boselli L, Ceradini G, Bonora E, Bonadonna RC, Priami C.
A novel insulin/glucose model after a mixed-meal test in patients with type 1 diabetes on insulin pump therapy.
Sci. Rep. 6: 36029, 2016.
238. Bacchi E, Bonin C, Zanolin ME, Zambotti F, Livornese D, Donà S, Tosi F, Baldisser G, Ihnatava T, Di Sarra D, Bonora E, Moghetti P.
Physical activity patterns in normal-weight and overweight/obese pregnant Women.
PLoS One 11: e0166254, 2016.
239. Mantovani A, Grani G, Chioma L, Vancieri G, Giordani I, Rendina R, Rinaldi ME, Andreadi A, Cocco C, Boccardo C, Fraenza C, Bertazzoni G, Bellia A, Zoppini G, Targher G, Baroni MG, Lauro D, D'Armiento M, Bonora E.
Severe hypoglycemia in patients with known diabetes requiring emergency department care: A report from an Italian multicenter study.
J Clin. Transl. Endocrinol. 5:46-52, 2016.
240. Mantovani A, Trombetta M, Imbriaco C, Rigolon R, Mingolla L, Zamboni F, Dal Molin F, Cioccoloni D, Sanga V, Bruti M, Brocco E, Conti M, Ravenna G, Perrone F, Stoico V, Bonora E.
Diabetic foot complicated by vertebral osteomyelitis and epidural abscess.
Endocrinol. Diabetes Metab - Case Rep. 2016:15-0132, 2016.
241. Mantovani A, Perrone F, Stoico V, Pichiri I, Salvotelli L, Teobaldi I, Bruti M, Conti M, Cima L, Eccher A, Bonora E.
Primary cutaneous B-cell lymphoma and chronic leg ulcers in a patient with type 2 diabetes.
Endocrinol. Diabetes Metab - Case Rep 2017:17-0032, 2017.

242. Cacciatori V, Zoppini G, Bellavere F, Rigolon R, Thomaseth K, Pichiri I, Trombetta M, Dauriz M, De Santi F, Targher G, Santi L, Bonora E.
Long-acting GLP-1 receptor agonist exenatide influence on the autonomic cardiac sympatho-vagal balance.
J. Endocr. Soc. 2:53-62, 2017.

243. Vitale M, Vaccaro O, Masulli M, Bonora E, Del Prato S, Giorda CB, Nicolucci A, Squatrito S, Auciello S, Babini AC, Bani L, Buzzetti R, Cannarsa E, Cignarelli M, Cigolini M, Clemente G, Cocozza S, Corsi L, D'Angelo F, Dall'Aglio E, Di Cianni G, Fontana L, Gregori G, Grioni S, Giordano C, Iannarelli R, Iovine C, Lapolla A, Lauro D, Laviola L, Mazzucchelli C, Signorini S, Tonutti L, Trevisan R, Zamboni C, Riccardi G, Rivellesse AA; TOSCA.IT Study Group.
Polyphenol intake and cardiovascular risk factors in a population with type 2 diabetes: The TOSCA.IT study.
Clin. Nutr. 36:1686-1692, 2017.

244. Rossi A, Zoppini G, Benfari G, Geremia G, Bonapace S, Bonora E, Vassanelli C, Enriquez-Sarano M, Targher G.
Mitral regurgitation and increased risk of all-cause and cardiovascular mortality in patients with type 2 diabetes.
Am. J. Med. 130:70-76, 2017.

245. Willeit P, Skrobilin P, Moschen AR, Yin X, Kaudewitz D, Zampetaki A, Barwari T, Whitehead M, Ramírez CM, Goedeke L, Rotllan N, Bonora E, Hughes AD, Santer P, Fernández-Hernando C, Tilg H, Willeit J, Kiechl S, Mayr M.
Circulating microRNA-122 is associated with the risk of new-onset metabolic syndrome and type 2 diabetes.
Diabetes 66: 347-357, 2017.

246. Indelicato L, Mariano V, Galasso S, Boscari F, Cipponeri E, Negri C, Frigo A, Avogaro A, Bonora E, Trombetta M, Bruttomesso D.
Influence of health locus of control and fear of hypoglycaemia on glycaemic control and treatment satisfaction in people with Type 1 diabetes on insulin pump therapy.
Diabetic Med 34:691-697, 2017.

247. Mantovani A, Rigolon R, Mingolla L, Pichiri I, Cavalieri V, Salvotelli L, Stoico V, Zoppini G, Bonora E, Targher G.
Nonalcoholic fatty liver disease is associated with an increased prevalence of distal symmetric polyneuropathy in adult patients with type 1 diabetes.
J. Diabetes Complications 31:1021-1026, 2017.

248. Zoppini G, Bergamini C, Bonapace S, Rossi A, Trombetta M, Mantovani A, Toffalini A, Lanzoni L, Bertolini L, Zenari L, Bonora E, Targher G.
Association between subclinical left ventricular systolic dysfunction and glycemic control in asymptomatic type 2 diabetic patients with preserved left ventricular function.
J. Diabetes Complications 31: 1035-1040, 2017.

249. Indelicato L, Dauriz M, Santi L, Bonora F, Negri C, Cacciatori V, Targher G, Trento M, Bonora E.
Psychological distress, self-efficacy and glycemic control in type 2 diabetes.
Nutr. Metab. Cardiovasc. Dis. 27:300-306, 2017.

250. Perrone-Filardi P, Avogaro A, Bonora E, Colivicchi F, Fioretto P, Maggioni AP, Sesti G, Ferrannini E.
Mechanisms linking empagliflozin to cardiovascular and renal protection.
Int. J. Cardiol. 241: 450-456, 2017.

251. Fadini GP, Zatti G, Consoli A, Bonora E, Sesti G, Avogaro A; DARWIN-T2D Network.
Rationale and design of the DARWIN-T2D (Dapagliflozin Real World evIdeNce in Type 2 Diabetes): A multicenter retrospective nationwide Italian study and crowdsourcing opportunity.
Nutr. Metab. Cardiovasc. Dis. 27:1089-1097, 2017.

252. Gulizia MM, Colivicchi F, Ricciardi G, Giampaoli S, Maggioni AP, Averna M, Graziani MS, Ceriotti F, Mugelli A, Rossi F, Medea G, Parretti D, Abrignani MG, Arca M, Perrone Filardi P, Perticone F, Catapano A, Griffo R, Nardi F, Riccio C, Di Lenarda A, Scherillo M, Musacchio N, Panno AV, Zito GB, Campanini M, Bolognese L, Faggiano PM, Musumeci G, Pusineri E, Ciaccio M, Bonora E, Cantelli Forti G, Ruggieri MP, Cricelli C, Romeo F, Ferrari R, Maseri A.
ANMCO/ISS/AMD/ANCE/ARCA/FADOI/GICR-IACPR/SICI-GISE/SIBioC/SIC/SICOA/SID/SIF/SIMEU /SIMG/SIMI/SISA Joint Consensus Document on cholesterol and cardiovascular risk: diagnostic-therapeutic pathway in Italy.
Eur. Heart J. 19 (Suppl D): D3-D54, 2017.
253. Vaccaro O, Masulli M, Nicolucci A, Bonora E, Del Prato S, Maggioni AP, Rivellesse AA, Squatrito S, Giorda CB, Sesti G, Mocarelli P, Lucisano G, Sacco M, Signorini S, Cappellini F, Perriello G, Babini AC, Lapolla A, Gregori G, Giordano C, Corsi L, Buzzetti R, Clemente G, Di Cianni G, Iannarelli R, Cordera R, La Macchia O, Zamboni C, Scaranna C, Boemi M, Iovine C, Lauro D, Leotta S, Dall'Aglia E, Cannarsa E, Tonutti L, Pugliese G, Bossi AC, Anichini R, Dotta F, Di Benedetto A, Citro G, Antenucci D, Ricci L, Giorgino F, Santini C, Gnasso A, De Cosmo S, Zavaroni D, Vedovato M, Consoli A, Calabrese M, di Bartolo P, Fornengo P, Riccardi G; Thiazolidinediones Or Sulfonylureas Cardiovascular Accidents Intervention Trial (TOSCA.IT) study group; Italian Diabetes Society.
Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial.
Lancet Diabetes Endocrinol. 5:887-897; 2017.
254. Mantovani A, Rigolon R, Pichiri I, Bonapace S, Morani G, Zoppini G, Bonora E, Targher G.
Nonalcoholic fatty liver disease is associated with an increased risk of heart block in hospitalized patients with type 2 diabetes mellitus.
PLoS One 2017 Oct 5;12: e0185459, 2017.
255. Mantovani A, Rigolon R, Pichiri I, Morani G, Bonapace S, Dugo C, Zoppini G, Bonora E, Targher G.
Relation of elevated serum uric acid levels to first-degree heart block and other cardiac conduction defects in hospitalized patients with type 2 diabetes.
J. Diabetes Complications 31:1691-1697; 2017.
256. Tosi F, Bonora E, Moghetti P.
Insulin resistance in a large cohort of women with polycystic ovary syndrome: a comparison between euglycaemic-hyperinsulinaemic clamp and surrogate indexes.
Hum. Reprod. 32: 2515-2521, 2017.
257. Dauriz M, Mantovani A, Bonapace S, Verlato G, Zoppini G, Bonora E, Targher G.
Prognostic impact of diabetes on long-term survival outcomes in patients with heart failure: a meta-analysis.
Diabetes Care 40:1597-1605, 2017.
258. Willeit K, Pechlaner R, Willeit P, Skrobilin P, Paulweber B, Schernthaner C, Toell T, Egger G, Weger S, Oberhollenzer M, Kedenko L, Iglseder B, Bonora E, Schett G, Mayr M, Willeit J, Kiechl S.
Association between vascular cell adhesion molecule 1 and atrial fibrillation.
JAMA Cardiol. 2: 516-523, 2017.
259. Sesti G, Antonelli Incalzi R, Bonora E, Consoli A, Giaccari A, Maggi S, Paolisso G, Purrello F, Vendemiale G, Ferrara N.
Management of diabetes in older adults.
Nutr. Metab. Cardiovasc. Dis. 28:206-208, 2018
260. Mantovani A, Byrne CD, Bonora E, Targher G.
Nonalcoholic fatty liver disease and risk of incident type 2 diabetes: a meta-analysis.
Diabetes Care 41:372-382, 2018.

261. Vitale M, Masulli M, Rivellese AA, Bonora E, Cappellini F, Nicolucci A, Squatrito S, Antenucci D, Barrea A, Bianchi C, Bianchini F, Fontana L, Fornengo P, Giorgino F, Gnasso A, Mannucci E, Mazzotti A, Nappo R, Palena AP, Pata P, Perriello G, Potenziani S, Radin R, Ricci L, Romeo F, Santini C, Scarponi M, Serra R, Timi A, Turco AA, Vedovato M, Zavaroni D, Grioni S, Riccardi G, Vaccaro O; TOSCA.IT Study Group. Dietary intake and major food sources of polyphenols in people with type 2 diabetes: The TOSCA.IT Study. **Eur. J. Nutr.** 57:679-688, 2018
262. Mantovani A, Rigolon R, Civettini A, Bolzan B, Morani G, Bonapace S, Dugo C, Zoppini G, Bonora E, Targher G. Hyperuricemia is associated with an increased prevalence of paroxysmal atrial fibrillation in patients with type 2 diabetes referred for clinically indicated 24-h Holter monitoring. **J. Endocrinol. Invest.** 41:223-231, 2018
263. Mantovani A, Zaza G, Byrne CD, Lonardo A, Zoppini G, Bonora E, Targher G. Nonalcoholic fatty liver disease increases risk of incident chronic kidney disease: a systematic review and meta-analysis. **Metabolism** 79:64-76, 2018
264. Bellavere F, Cacciatori V, Bacchi E, Gemma ML, Raimondo D, Negri C, Thomaseth K, Muggeo M, Bonora E, Moghetti P. Effects of aerobic or resistance exercise training on cardiovascular autonomic function of subjects with type 2 diabetes: A pilot study. **Nutr. Metab. Cardiovasc. Dis.** 28:226-233, 2018
265. Dauriz M, Bacchi E, Boselli L, Santi L, Negri C, Trombetta M, Bonadonna RC, Bonora E, Moghetti P. Association of free-living physical activity measures with metabolic phenotypes in type 2 diabetes at the time of diagnosis. The Verona Newly Diagnosed Type 2 Diabetes Study (VNDS). **Nutr. Metab. Cardiovasc. Dis.** 28: 343-351, 2018
266. Zoppini G, Fedeli U, Schievano E, Dauriz M, Targher G, Bonora E, Corti MC. Mortality from infectious diseases in diabetes. **Nutr. Metab. Cardiovasc. Dis.** 28:444-450, 2018
267. Penno G, Solini A, Bonora E, Orsi E, Fondelli C, Zerbini G, Trevisan R, Vedovato M, Cavalot F, Laviola L, Nicolucci A, Pugliese G; Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. Defining the contribution of chronic kidney disease to all-cause mortality in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study. **Acta Diabetol.** 55:603-612, 2018
268. Indelicato L, Dauriz M, Bacchi E, Donà S, Santi L, Negri C, Cacciatori V, Bonora E, Nouwen A, Moghetti P. Sex differences in the association of psychological status with measures of physical activity and sedentary behaviour in adults with type 2 diabetes. **Acta Diabetol.** 55:627-635, 2018
269. Orsi E, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Gruden G, Morano S, Nicolucci A, Penno G, Pugliese G; Renal Insufficiency and Cardiovascular Events (RIACE) Study Group. Haemoglobin A1c variability is a strong, independent predictor of all-cause mortality in patients with type 2 diabetes. **Diabetes Obes. Metab.** 20:1885-1893, 2018
270. Bonora E, Monami M, Bruno G, Zoppini G, Mannucci E. Attending Diabetes Clinics is associated with a lower all-cause mortality. A meta-analysis of observational studies performed in Italy. **Nutr. Metab. Cardiovasc. Dis.** 28:431-435, 2018

271. Zenti MG, Stefanutti C, Sanga V, Altomari A, Fabris A, Dauriz M, Bonora E.
Evolocumab and lipoprotein apheresis combination therapy may have synergic effects to reduce low-density lipoprotein cholesterol levels in heterozygous familial hypercholesterolemia: A case report.
J. Clin. Apher. 33:546-550, 2018
272. Zoppini G, Bergamini C, Bonapace S, Trombetta M, Mantovani A, Toffalini A, Lanzoni L, Bertolini L, Zenari L, Bonora E, Targher G, Rossi A.
Left ventricular chamber dilation and filling pressure may help to categorise patients with type 2 diabetes.
BMJ Open Diabetes Res. Care 6: e000529, 2018
273. Vitale M, Masulli M, Calabrese I, Rivellese AA, Bonora E, Signorini S, Perriello G, Squatrito S, Buzzetti R, Sartore G, Babini AC, Gregori G, Giordano C, Clemente G, Grioni S, Dolce P, Riccardi G, Vaccaro O; TOSCA.IT Study Group.
Impact of a mediterranean dietary pattern and its components on cardiovascular risk factors, glucose control, and body weight in people with type 2 diabetes: a real-life study.
Nutrients 10: pii:E1067, 2018
274. Mantovani A, Dauriz M, Byrne CD, Lonardo A, Zoppini G, Bonora E, Targher G.
Association between nonalcoholic fatty liver disease and colorectal tumours in asymptomatic adults undergoing screening colonoscopy: a systematic review and meta-analysis.
Metabolism 87:1-12, 2018
275. Penno G, Solini A, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Scardapane M, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Non-albuminuric renal impairment is a strong predictor of mortality in individuals with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian multicentre study.
Diabetologia 61:2277-2289, 2018
276. Zenti MG, Altomari A, Lupo MG, Botta M, Bonora E, Corsini A, Ruscica M, Ferri N.
From lipoprotein apheresis to proprotein convertase subtilisin/kexin type 9 inhibitors: Impact on low-density lipoprotein cholesterol and C-reactive protein levels in cardiovascular disease patients.
Eur. J. Prev. Cardiol. 25: 1843-1851, 2018
277. Mantovani A, Nascimbeni F, Lonardo A, Zoppini G, Bonora E, Mantzoros CS, Targher G.
Association between primary hypothyroidism and nonalcoholic fatty liver disease: a systematic review and meta-analysis.
Thyroid 28:1270-1284, 2018
278. Zusi C, Trombetta M, Bonetti S, Dauriz M, Boselli ML, Trabetti E, Malerba G, Penno G, Zoppini G, Bonora E, Solini A, Bonadonna RC.
A renal genetic risk score (GRS) is associated with kidney dysfunction in people with type 2 diabetes.
Diabetes Res. Clin. Pract. 144:137-143, 2018
279. Mantovani A, Rigolon R, Turino T, Pichiri I, Falceri A, Rossi A, Temporelli PL, Bonapace S, Lippi G, Zoppini G, Bonora E, Byrne CD, Targher G.
Association between decreasing estimated glomerular filtration rate and risk of cardiac conduction defects in patients with type 2 diabetes.
Diabetes Metab. 44:473-481, 2018
280. Zoppini G, Bergamini C, Mantovani A, Dauriz M, Targher G, Rossi A, Bonora E.
The E/e' ratio difference between subjects with type 2 diabetes and controls. A meta-analysis of clinical studies.
PLoS One 13: e0209794, 2018
281. Mantovani A, Teobaldi I, Stoico V, Perrone F, Zannoni M, Cima L, Bruti M, Mingolla L, Trombetta M, Bonora E.
Cutaneous squamous carcinoma in a patient with diabetic foot: an unusual evolution of a frequent complication.
Endocrinol. Diabetes Metab - Case Rep. 2018:18-0065, 2018

282. Teobaldi I, Stoico V, Perrone F, Bruti M, Bonora E, Mantovani A.
Honey dressing on a leg ulcer with tendon exposure in a patient with type 2 diabetes.
Endocrinol. Diabetes Metab - Case Rep. 2018;18-0117, 2018
283. Mantovani A, Sani E, Fassio A, Colecchia A, Viapiana O, Gatti D, Idolazzi L, Rossini M, Salvagno G, Lippi G, Zoppini G, Byrne CD, Bonora E, Targher G.
Association between non-alcoholic fatty liver disease and bone turnover biomarkers in post-menopausal women with type 2 diabetes.
Diabetes Metab. 45: 347-355, 2019
284. Olivos D, Dauriz M, Bacchi E, Negri C, Santi L, Bonora E, Moghetti P.
Effects of aerobic and resistance training on circulating micro-RNA expression profile in subjects with type 2 diabetes.
J. Clin. Endocrinol. Metab. 104:1119-1130, 2019
285. Dauriz M, Maneschi C, Castelli C, Tomezzoli A, Fuini A, Landoni L, Malleo G, Ferdeghini M, Bonora E, Moghetti P.
A case report of insulinoma relapse on background nesidioblastosis: a rare cause of adult hypoglycemia.
J. Clin. Endocrinol. Metab. 104:773-778, 2019
286. Mantovani A, Dauriz M, Gatti D, Viapiana O, Zoppini G, Lippi G, Byrne CD, Bonnet F, Bonora E, Targher G.
Systematic review with meta-analysis: non-alcoholic fatty liver disease is associated with a history of osteoporotic fractures but not with low bone mineral density.
Aliment. Pharmacol. Ther. 49:375-388, 2019
287. Sesti G, Avogaro A, Belcastro S, Bonora BM, Croci M, Daniele G, Dauriz M, Dotta F, Formichi C, Frontoni S, Invitti C, Orsi E, Picconi F, Resi V, Bonora E, Purrello F.
Ten years of experience with DPP-4 inhibitors for the treatment of type 2 diabetes mellitus.
Acta Diabetol. 56:605-617, 2019
288. Bruttomesso D, Laviola L, Avogaro A, Bonora E, Del Prato S, Frontoni S, Orsi E, Rabbone I, Sesti G, Purrello F; of the Italian Diabetes Society (SID).
The use of real time continuous glucose monitoring or flash glucose monitoring in the management of diabetes: A consensus view of Italian diabetes experts using the Delphi method.
Nutr. Metab. Cardiovasc. Dis. 29:421-431, 2019
289. Solini A, Penno G, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Baroni MG, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Is resistant hypertension an independent predictor of all-cause mortality in individuals with type 2 diabetes? A prospective cohort study.
BMC Med. 17:83, 2019
290. Mantovani A, Gatti D, Zoppini G, Lippi G, Bonora E, Byrne CD, Nobili V, Targher G.
Association between nonalcoholic fatty liver disease and reduced bone mineral density in children: a meta-analysis.
Hepatology 70: 812-823, 2019
291. Mantovani A, Zusi C, Sani E, Colecchia A, Lippi G, Zaza GL, Valenti L, Byrne CD, Maffei C, Bonora E, Targher G.
Association between PNPLA3rs738409 polymorphism decreased kidney function in postmenopausal type 2 diabetic women with or without non-alcoholic fatty liver disease.
Diabetes Metab. 45: 480-487, 2019
292. Fedeli U, Schievano E, Targher G, Bonora E, Corti MC, Zoppini G.
Estimating the real burden of cardiovascular mortality in diabetes.
Eur. Rev. Med. Pharmacol. Sci. 23: 6700-6706, 2019

293. Zoppini G, Bergamini C, Trombetta M, Sabbagh L, Dauriz M, Mantovani A, Targher G, Fossà I, Rinaldi E, Bonora E.
Increased aortic stiffness index in patients with type 1 diabetes without cardiovascular disease compared to controls.
J. Endocrinol. Invest. 42: 1109-1115, 2019
294. Avogaro A, Bonora E, Consoli A, Del Prato S, Genovese S, Giorgino F.
Glucose-lowering therapy and cardiovascular outcomes in patients with type 2 diabetes mellitus and acute coronary syndrome.
Diab. Vasc. Dis. Res. 16: 399-414, 2019
295. Vaccaro O, Lucisano G, Masulli M, Bonora E, Del Prato S, Rivellesse AA, Giorda CB, Mocarelli P, Squatrito S, Maggioni AP, Riccardi G, Nicolucci A; TOSCA.IT investigators.
Cardiovascular effects of pioglitazone or sulphonylureas according to pretreatment risk: moving towards personalized care.
J. Clin. Endocrinol. Metab. 104: 3296-3302, 2019
296. Mantovani A, Lonardo A, Vinco G, Zoppini G, Lippi G, Bonora E, Loomba R, Tilg H, Byrne CD, Fabbri L, Targher G.
Association between non-alcoholic fatty liver disease and decreased lung function in adults: A systematic review and meta-analysis.
Diabetes Metab. 45: 536-544, 2019
297. Fadini GP, Frison V, Simioni N, Lapolla A, Gatti A, Bossi AC, Del Buono A, Fornengo P, Gottardo L, Laudato M, Perseghin G, Bonora E, Avogaro A.
Changes in the prescription of glucose-lowering medications in patients with type 2 diabetes Mellitus after a cardiovascular event: a call to action from the DATAFILE Study.
J. Am. Heart Assoc. 8: e012244, 2019
298. Dwivedi OP, Lehtovirta M, Hastoy B, Chandra V, Krentz NAJ, Kleiner S, Jain D, Richard AM, Abaitua F, Beer NL, Grotz A, Prasad RB, Hansson O, Ahlqvist E, Krus U, Artner I, Suoranta A, Gomez D, Baras A, Champon B, Payne AJ, Moralli D, Thomsen SK, Kramer P, Spiliotis I, Ramracheya R, Chabosseau P, Theodoulou A, Cheung R, van de Bunt M, Flannick J, Trombetta M, Bonora E, Wolheim CB, Sarelin L, Bonadonna RC, Rorsman P, Davies B, Brosnan J, McCarthy MI, Otonkoski T, Lagerstedt JO, Rutter GA, Gromada J, Gloyn AL, Tuomi T, Groop L.
Loss of ZnT8 function protects against diabetes by enhanced insulin secretion.
Nat. Genet. 51:1596-1606, 2019
299. Dauriz M, Morici N, Gonzini L, Lucci D, Di Chiara A, Boccanelli A, Olivari Z, Casella G, De Luca L, Temporelli P, De Servi S, Bonora E, Savonitto S.
Fifteen-year trends of cardiogenic shock and mortality in patients with diabetes and acute coronary syndromes.
Am. J. Med. 133: 331-339, 2020
300. Mantovani A, Turino T, Lando MG, Gjini K, Byrne CD, Zusi C, Ravaioli F, Colecchia A, Maffei S, Salvagno G, Lippi G, Bonora E, Targher G.
Screening for non-alcoholic fatty liver disease using liver stiffness measurement and its association with chronic kidney disease and cardiovascular complications in patients with type 2 diabetes.
Diabetes Metab. 46:296-303, 2020
301. Vitale M, Masulli M, Rivellesse AA, Bonora E, Babini AC, Sartore G, Corsi L, Buzzetti R, Citro G, Baldassarre MPA, Bossi AC, Giordano C, Auciello S, Dall'Aglio E, Iannarelli R, Tonutti L, Sacco M, Di Cianni G, Clemente G, Gregori G, Grioni S, Krogh V, Riccardi G, Vaccaro O.
Pasta consumption and connected dietary habits: associations with glucose control, adiposity measures, and cardiovascular risk factors in people with type 2 diabetes-TOSCA.IT Study.
Nutrients 12:101, 2020

302. Indelicato L, Calvo V, Dauriz M, Negri A, Negri C, Trombetta M, Bonora E.
Depressive symptoms and glycaemic control in adults with type 1 diabetes: an exploratory study on the role of family functioning.
Acta Diabetol. 57: 23-30, 2020
303. Pasquini S, Da Prato G, Tonolo G, Bonora E, Trombetta M.
Continuous intraperitoneal insulin infusion: an alternative route for insulin delivery in type 1 diabetes.
Acta Diabetol. 57:101-104, 2020
304. Orsi E, Bonora E, Solini A, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Zerbini G, Morano S, Nicolucci A, Penno G, Pugliese G.
Association between on-treatment haemoglobin A1c and all-cause mortality in individuals with type 2 diabetes: importance of personalized goals and type of anti-hyperglycaemic treatment.
J. Clin. Med. 9:246, 2020
305. Tosi F, Dal Molin F, Zamboni F, Saggiorato E, Salvagno GL, Fiers T, Kaufman JM, Bonora E, Moghetti P.
Serum androgens are independent predictors of insulin clearance but not of insulin secretion in women with PCOS.
J. Clin. Endocrinol. Metab. 105:dga095, 2020
306. Zoppini G, Bergamini C, Trombetta M, Mantovani A, Targher G, Rinaldi E, Bonora E.
Estimated peak systolic pulmonary artery pressure in young non-complicated patients with type 1 diabetes.
Eur. Rev. Med. Pharmacol. Sci. 24:5028-5035, 2020
307. Bonora E, Cataudella S, Marchesini G, Miccoli R, Vaccaro O, Fadini GP, Martini N, Rossi E; under the mandate of the Italian Diabetes Society.
Clinical burden of diabetes in Italy in 2018: a look at a systemic disease from the ARNO Diabetes Observatory.
BMJ Open Diabetes Res. Care 8: e001191, 2020
308. Penno G, Orsi E, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Gruden G, Laviola L, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Renal hyperfiltration is independently associated with increased all-cause mortality in individuals with type 2 diabetes: a prospective cohort study.
BMJ Open Diabetes Res. Care 8: e001481, 2020
309. Bonora E, Trombetta M, Dauriz M, Travia D, Cacciatori V, Brangani C, Negri C, Perrone F, Pichiri I, Stoico V, Zoppini G, Rinaldi E, Da Prato G, Boselli ML, Santi L, Moschetta F, Zardini M, Bonadonna RC.
Chronic complications in patients with newly diagnosed type 2 diabetes: prevalence and related metabolic and clinical features: the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 9.
BMJ Open Diabetes Res. Care. 8: e001549, 2020
310. Bonora E, Cataudella S, Marchesini G, Miccoli R, Vaccaro O, Fadini GP, Martini N, Rossi E.
A view on the quality of diabetes care in Italy and the role of Diabetes Clinics from the 2018 ARNO Diabetes Observatory.
Nutr. Metab. Cardiovasc. Dis. 30:1945-1953, 2020
311. Zenti MG, Lupo MG, De Martin S, Altomari A, Galvan S, Avenaggiato M, Maneschi C, Sandri D, Paiola E, Battistoni M, Eccher A, Targher G, Bonora E, Ruscica M, Ferri N.
Impact of bariatric surgery-induced weight loss on circulating PCSK9 levels in obese patients.
Nutr. Metab. Cardiovasc. Dis. 30:2372-2378, 2020
312. Zoppini G, Bergamini C, Trombetta M, Mantovani A, Targher G, Toffalini A, Bittante C, Bonora E.
Echocardiographic parameters according to insulin dose in young patients affected by type 1 diabetes.
PLoS One 15: e0244483, 2020

313. Bonora E, Dauriz M, Rinaldi E, Mantovani A, Boscarì F, Mazzuccato M, Vedovato M, Gallo A, Toffanin E, Lapolla A, Fadini GP, Avogaro A.
Assessment of simple strategies for identifying undiagnosed diabetes and prediabetes in the general population.
J. Endocrinol. Invest. 44:75-81, 2021
314. Rinaldi E, Zenti MG, Trombetta M, Ceradini G, Altomari A, Boselli ML, Santi L, Battistoni M, Bonadonna RC, Bonora E.
Changes induced by metabolic surgery on the main components of glucose/insulin system in patients with diabetes and obesity.
Acta Diabetol. 58:513-516, 2021
315. Frias JP, Bonora E, Nevarez Ruiz L, Li YG, Yu Z, Milicevic Z, Malik R, Bethel MA, Cox DA.
Efficacy and safety of dulaglutide 3.0 mg and 4.5 mg versus dulaglutide 1.5 mg in metformin-treated patients with type 2 diabetes in a randomized controlled trial (AWARD-11).
Diabetes Care 44:765-773, 2021
316. Orsi E, Penno G, Solini A, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Morano S, Baroni MG, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Independent association of atherogenic dyslipidaemia with all-cause mortality in individuals with type 2 diabetes and modifying effect of gender: a prospective cohort study.
Cardiovasc. Diabetol. 20:28, 2021
317. Penno G, Solini A, Orsi E, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Zerbini G, Lamacchia O, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Insulin resistance, diabetic kidney disease, and all-cause mortality in individuals with type 2 diabetes: a prospective cohort study.
BMC Med. 19:66, 2021
318. Zoppini G, Trombetta M, Pastore I, Brangani C, Cacciatori V, Negri C, Perrone F, Pichiri I, Stoico V, Travia D, Rinaldi E, Da Prato G, Bittante C, Bonadonna RC, Bonora E.
Glomerular filtration rate decline in T2DM following diagnosis. The Verona newly diagnosed diabetes study-12.
Diabetes Res. Clin. Pract. 175:108778, 2021
319. Tosi F, Villani M, Migazzi M, Faccin G, Garofalo S, Fiers T, Kaufman JM, Bonora E, Moghetti P.
Insulin-mediated substrate utilization in women with the different phenotypes of PCOS: Role of androgens.
J. Clin. Endocrinol. Metab. 106: e3414-e3425, 2021
320. Bonora E, Cataudella S, Marchesini G, Miccoli R, Vaccaro O, Fadini GP, Martini N, Rossi E; under the mandate of the Italian Diabetes Society.
Incidence of diabetes mellitus in Italy in year 2018. A nationwide population-based study of the ARNO Diabetes Observatory.
Nutr. Metab. Cardiovasc. Dis. 31:2338-2344, 2021
321. Bonora E, Frias JP, Tinahones FJ, Van J, Malik RE, Yu Z, Mody R, Bethel A, Kwan AYM, Cox DA.
Effect of dulaglutide 3.0 and 4.5 mg on weight in patients with type 2 diabetes: Exploratory analyses of AWARD-11.
Diabetes Obes. Metab. 23:2242-2250, 2021
322. Frias JP, Bonora E, Nevárez Ruiz L, Hsia SH, Jung H, Raha S, Cox DA, Bethel MA, König M.
Efficacy and safety of dulaglutide 3.0 and 4.5 mg in patients aged younger than 65 and 65 years or older: Post hoc analysis of the AWARD-11 trial.
Diabetes Obes. Metab. 23:2279-2288, 2021
323. Bonora E, Cataudella S, Marchesini G, Miccoli R, Vaccaro O, Fadini GP, Martini N, Rossi E; mandate of the Italian Diabetes Society.
Initial treatment of diabetes in Italy. A nationwide population-based study from of the ARNO Diabetes Observatory.
Nutr. Metab. Cardiovasc. Dis. 31:26621-2668, 2021

324. Zusi C, Rinaldi E, Bonetti S, Boselli ML, Trabetti E, Malerba G, Bonora E, Bonadonna RC, Trombetta M. Haplotypes of the genes (GCK and G6PC2) underlying the glucose/glucose-6-phosphate cycle are associated with pancreatic beta cell glucose sensitivity in patients with newly diagnosed type 2 diabetes from the VNDS study (VNDS 11).

J. Endocrinol. Invest. 44:2567-2574, 2021

325. Bonora E, Fedeli U, Schievano E, Trombetta M, Saia M, Scroccaro G, Tacconelli E, Zoppini G. SARS-CoV-2 and COVID-19 in diabetes mellitus. Population-based study on ascertained infections, hospital admissions and mortality in an Italian region with ~5 million inhabitants and ~250,000 diabetic people.

Nutr. Metab. Cardiovasc. Dis. 31:2612-2618, 2021

326. Frias JP, Bonora E, Cox DA, Bethel MA, Kwan AYM, Raha S, Malik RE.

Glycaemic efficacy of an expanded dose range of dulaglutide according to baseline glycated haemoglobin (HbA1c) subgroup: Post hoc analysis of AWARD-11.

Diabetes Obes. Metab. 23:2819-2824, 2021

327. Van J, Frias JP, Bonora E, Raha S, Meyer J, Jung H, Cox D, Konig M, Peleshok J, Bethel MA.

Gastrointestinal Tolerability of Once-Weekly Dulaglutide 3.0 mg and 4.5 mg: A Post Hoc Analysis of the Incidence and Prevalence of Nausea, Vomiting, and Diarrhea in AWARD-11.

Diabetes Ther. 12:2783-2794, 2021

328. Da Prato G, Pasquini S, Rinaldi E, Lucianer T, Donà S, Santi L, Negri C, Bonora E, Moghetti P, Trombetta M.

Accuracy of CGM Systems During Continuous and Interval Exercise in Adults with Type 1 Diabetes.

J. Diabetes Sci. Technol. 16:1436-1443, 2022

329. Fedeli U, Schievano E, Masotto S, Bonora E, Zoppini G.

Time series of diabetes attributable mortality from 2008 to 2017.

J. Endocrinol. Invest. 45:275-278, 2022

330. Pasquini S, Rinaldi E, Da Prato G, Csermely A, Indelicato L, Zaffani S, Santi L, Sabbion A, Maffei C, Bonora E, Trombetta M.

Growing up with type 1 diabetes mellitus: Data from the Verona Diabetes Transition Project.

Diabet. Med. 39:e14719, 2022

331. Tosi F, Villani M, Garofalo S, Faccin G, Bonora E, Fiers T, Kaufman JM, Moghetti P.

Clinical value of serum levels of 11-oxygenated metabolites of testosterone in women with polycystic ovary syndrome.

J. Clin. Endocrinol. Metab. 107:e2047-e2055, 2022

332. Masulli M, Lucisano G, Bonora E, Del Prato S, Rivellese AA, Signorini S, Mocarelli P, Riccardi G, Vaccaro O, Nicolucci A.

A few clinical features improve the prediction of mortality and cardiovascular outcomes in patients with type 2 diabetes.

Eur. J. Prev. Cardiol. 28: e1-e3, 2022

333. Bonetti S, Zusi C, Rinaldi E, Boselli ML, Csermely A, Malerba G, Trabetti E, Bonora E, Bonadonna RC, Trombetta M.

Role of monogenic diabetes genes on beta cell function in Italian patients with newly diagnosed type 2 diabetes. The Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 13.

Diabetes Metab. 48:101323, 2022

334. Sani E, Da Prato G, Zenti MG, Bordugo A, Trombetta M, Bonora E.
Effects of semaglutide on glycemic control and weight loss in a patient with Prader-Willi syndrome: a case report.
Endocr. Metab. Immune Disord. - Drug Targets. 22:1053-1057, 2022
335. Bonora E, Trombetta M, Dauriz M, Brangani C, Cacciatori V, Negri C, Pichiri I, Stoico V, Rinaldi E, Da Prato G, Boselli ML, Santi L, Moschetta F, Zardini M, Bonadonna RC.
Insulin resistance and beta-cell dysfunction in newly diagnosed type 2 diabetes: expression, aggregation and predominance. VNDS 10.
Diabetes Metab. Res. Rev. 38:e3558, 2022
336. Fedeli U, Casotto V, Schievano E, Bonora E, Zoppini G.
Diabetes as a cause of death across different COVID-19 epidemic waves.
Diabetes Res. Clin. Pract. 190:109984, 2022
337. Orsi E, Solini A, Bonora E, Vitale M, Garofolo M, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Laviola L, Morano S, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Risk of all-cause mortality according to the European Society of Cardiology risk categories in individuals with type 2 diabetes: The Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study.
Acta Diabetol. 59:1369-1381, 2022
338. Orsi E, Solini A, Bonora E, Vitale M, Garofolo M, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Zerbini G, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Retinopathy as an independent predictor of all-cause mortality in individuals with type 2 diabetes.
Diabetes Metab. 49:101413, 2022
339. Orsi E, Solini A, Penno G, Bonora E, Fondelli C, Trevisan R, Vedovato M, Cavalot F, Lamacchia O, Haxhi J, Nicolucci A, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group.
Body mass index versus surrogate measures of central adiposity as independent predictors of mortality in type 2 diabetes.
Cardiovasc Diabetol. 21:266, 2022
340. Bonora E.
The 'scientist', the 'analyst' and the 'novelist': science or metrics?
Diabetologia 66:610-613, 2023
341. Morieri ML, Raz I, Consoli A, Rigato M, Lapolla A, Broglio F, Bonora E, Avogaro A, Fadini GP; DARWIN-FUP network.
Short-term effectiveness of dapagliflozin versus DPP-4 inhibitors in elderly patients with type 2 diabetes: a multicentre retrospective study.
J Endocrinol. Invest. 46:1429-1439, 2023
342. Rinaldi E, van der Heide FC, Bonora E, Trombetta M, Zusi C, Kroon AA, Schram MT, van der Kallen CJ, Wesselius A, Bonadonna R, Mari A, Schalkwijk CG, van Greevenbroek MM, Stehouwer CD.
Lower heart rate variability, an index of worse autonomic function, is associated with worse beta cell response to a glycemic load in vivo-The Maastricht Study.
Cardiovasc. Diabetol. 22:105, 2023
343. Zusi C, Csermely A, Rinaldi E, Bertoldo K, Bonetti S, Boselli ML, Travia D, Bonora E, Bonadonna RC, Trombetta M.
Crosstalk between genetic variability of adiponectin and leptin, glucose-insulin system and subclinical atherosclerosis in patients with newly diagnosed type 2 diabetes. The Verona Newly Diagnosed Type 2 Diabetes Study 14.
Diabetes Obes Metab. 25:2650-2658. 2023
344. Ponsiglione AM, Ricciardi C, Bonora E, Amato F, Romano M.
Impact of the Number of Needle Tip Bevels on the Exerted Forces and Energy in Insulin Pen Injections.
Sensors 23:8043, 2023

345. Solini A, Orsi E, Vitale M, Garofolo M, Resi V, Bonora E, Fondelli C, Trevisan R, Vedovato M, Nicolucci A, Penno G, Pugliese G; Renal Insufficiency And Cardiovascular Events (RIACE) Study Group. Independent association of estimated pulse-wave velocity with all-cause mortality in individuals with type 2 diabetes.

QJM. 2024 Jan 10:hcae012. doi: 10.1093/qjmed/hcae012. Epub ahead of print. PMID: 38200621.

346. Vitale M, Orsi E, Solini A, Garofolo M, Resi V, Bonora E, Fondelli C, Trevisan R, Vedovato M, Penno G, Pugliese G. Independent association of history of diabetic foot with all-cause mortality in patients with type 2 diabetes: the Renal Insufficiency And Cardiovascular Events (RIACE) Italian Multicenter Study.

Cardiovasc Diabetol. 23:34, 2024. doi: 10.1186/s12933-023-02107-9. PMID: 38218843; PMCID: PMC10787405.

Collaborative papers

1. Ferrannini E., Vichi S., Beck-Nielsen H., Laakso M., Paolisso G., Smith U. for the European Group for the Study of Insulin Resistance (including Bonora E.)
Insulin action and age.
Diabetes 45: 947-953, 1996
2. Ferrannini E., Natali A., Bell P., Cavallo-Perin P., Lalic N., Mingrone G. for the European Group for the Study of Insulin Resistance (including Bonora E.).
Insulin resistance and hypersecretion in obesity.
J. Clin. Invest. 100: 1166-1173, 1997
3. Kiechl S., Willeit J., Egger G., Poewe W., Oberhollenzer F. for the Bruneck Study Group (including Bonora E.).
Body iron stores and the risk of carotid atherosclerosis. Prospective results from the Bruneck Study Group.
Circulation 96: 3300-3307, 1997
4. Ferrannini E., Natali A., Capaldo B., Lethovirta M., Jacob S., Yki-Jarvinen H. for the European Group for the Study of Insulin Resistance (including Bonora E.).
Insulin resistance, hyperinsulinemia and blood pressure. Role of age and obesity.
Hypertension 30: 1144-1149, 1997
5. Ferrannini E., Camastra S., Coppack S., Fliser D., Golay A., Mitrakou A. for the European Group for the Study of Insulin Resistance (including Bonora E.).
Insulin action and non-esterified fatty acids.
Proc. Nutr. Soc. 56: 753-761, 1997
6. Iozzo P., Beck-Nielsen H., Laakso M., Smith U., Yki-Jarvinen H., Ferrannini E. for the European Group for the Study of Insulin Resistance (including Bonora E.).
Independent influence of age on basal insulin secretion in nondiabetic humans.
J. Clin. Endocrinol. Metab. 84: 863-868, 1999
7. Kiechl S., Willeit J. for the Bruneck Study Group (including Bonora E.)
The natural course of atherosclerosis. Part I. Incidence and progression.
Arterioscl. Thromb. Vasc. Biol. 19: 1484-1490, 1999
8. Kiechl S., Willeit J. for the Bruneck Study Group (including Bonora E.).
The natural course of atherosclerosis. Part II. Vascular remodeling.
Arterioscl. Thromb. Vasc. Biol. 19: 1491-1498, 1999
9. Beck-Nielsen H. and EGIR (including Bonora E.)
General characteristics of the insulin resistance syndrome.
Drugs 58 (suppl 1): 7-10, 1999
10. Baldeweg S.E., Golay A., Natali A., Balkau B., Del Prato S., Coppack S.W. on behalf of the EGIR Study Group (including Bonora E.).
Insulin resistance, non-esterified fatty acids and lipoprotein concentrations: relationships seen in a cohort of 867 healthy Europeans.
Europ. J. Clin. Invest. 30: 45-52, 2000
11. Natali A., Toschi E., Camastra S., Gastaldelli A., Groop L., Ferrannini E. on behalf of the EGIR Study Group (including Bonora E.).
Determinants of postabsorptive endogenous glucose output in non-diabetic subjects.
Diabetologia 43: 1266-1272, 2000

12. Vaag A., Lehtovirta M., Thye-Ronn P., Groop L. on behalf of EGIR (including Bonora E.).
Metabolic impact of a family history of type 2 diabetes. Results from a European multicentre study (EGIR)(including Bonora E.).
Diabet. Med. 18: 533-540, 2001
13. Finucane M.M., Stevens G.A., Cowan M., Danaei G., Lin J.K., Paciorek C.J., Singh G.M., Gutierrez H.R., Lu Y., Bahalim A.N., Farzadfar F., Riley L., Ezzati M. on behalf of the Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (including Bonora E.).
National, regional and global trends in body mass index since 1980: systematic analysis of health examination surveys and epidemiological studies with 960 country-years and 9.1 million participants.
Lancet 377: 557-567, 2011
14. Danaei G., Finucane M.M., Lin J.K., Singh G.M., Paciorek C.J., Cowan M., Farzadfar F., Stevens G.A., Lim SS, Riley L., Ezzati M. on behalf of the Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (including Bonora E.).
National, regional and global trends in systolic blood pressure since 1980: systematic analysis of health examination surveys and epidemiological studies with 786 country-years and 5.4 million participants.
Lancet 377: 568-577, 2011
15. Lewis E.J., Lewis J.B., Greene T., Hunsicker L.G., Berl T., Pohl M.A., de Zeeuw D., Heerspink H.L., Rohde R.D., Atkins R.C., Reutens A.T., Packham D.K., Raz I.; Collaborative Study Group (including Bonora E.).
Sulodexide for kidney protection in type 2 diabetes patients with microalbuminuria: a randomized controlled trial.
Am. J. Kidney Dis. 58: 729-36, 2011
16. Parving H.H., Brenner B.M., McMurray J.J., de Zeeuw D., Haffner S.M., Solomon S.D., Chaturvedi N., Persson F., Desai A.S., Nicolaides M., Richard A., Xiang Z., Brunel P., Pfeffer M.A.; ALTITUDE Investigators (including Bonora E.).
Cardiorenal end points in a trial of aliskiren for type 2 diabetes.
N. Engl. J. Med. 367: 2204-2213, 2012
17. Stevens GA, Singh GM, Lu Y, Danaei G, Lin JK, Finucane MM, Bahalim AN, McIntire RK, Gutierrez HR, Cowan M, Paciorek CJ, Farzadfar F, Riley L, Ezzati M; Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (Body Mass Index) (including Bonora E.).
National, regional, and global trends in adult overweight and obesity prevalences.
Popul. Health. Metr. 10:22, 2012
18. Danaei G, Singh GM, Paciorek CJ, Lin JK, Cowan MJ, Finucane MM, Farzadfar F, Stevens GA, Riley LM, Lu Y, Rao M, Ezzati M; Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (including Bonora E)
The global cardiovascular risk transition: associations of four metabolic risk factors with national income, urbanization, and Western diet in 1980 and 2008.
Circulation 127:1493-1502, 2013
19. Emerging Risk Factors Collaboration (including Bonora E).
Glycated hemoglobin measurement and prediction of cardiovascular disease.
JAMA 311: 1225-1233; 2014
20. Global Burden of Metabolic Risk Factors for Chronic Diseases Collaboration (including Bonora E).
Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment.
Lancet Diabetes Endocrinol. 2: 634-647, 2014

21. Ridker PM, Revkin J, Amarenco P, Brunell R, Curto M, Civeira F, Flather M, Glynn RJ, Gregoire J, Jukema JW, Karpov Y, Kastelein JJP, Koenig W, Lorenzatti A, Manga P, Masiukiewicz U, Miller M, Mosterd A, Murin J, Nicolau JC, Nissen S, Ponikowski P, Santos RD, Schwartz PF, Soran H, White H, Wright RS, Vrablik M, Yunis C, Shear CL, Tardif JC; SPIRE Cardiovascular Outcome Investigators (including Bonora E). Cardiovascular efficacy and safety of bococizumab in high-risk patients. **N Engl J Med.** 376:1527-1539, 2017
22. Neal B, Perkovic V, Mahaffey KW, de Zeeuw D, Fulcher G, Erondur N, Shaw W, Law G, Desai M, Matthews DR; CANVAS Program Collaborative Group (including Bonora E.). Canagliflozin and cardiovascular and renal events in type 2 diabetes. **N Engl J Med** 377: 644-657, 2017
23. Lepore G, Bonfanti R, Bozzetto L, Di Blasi V, Girelli A, Grassi G, Iafusco D, Laviola L, Rabbone I, Schiaffini R, Bruttomesso D; Italian Study Group on the Diffusion of CSII. (including Bonora E) Metabolic control and complications in Italian people with diabetes treated with continuous subcutaneous insulin infusion. **Nutr Metab Cardiovasc Dis.** 28:335-342, 2018
24. Fadini GP, Solini A, Manca ML, Zatti G, Karamouzis I, Di Benedetto A, Frittitta L, Avogaro A; DARWIN-T2D Network (including Bonora E). Phenotyping normal kidney function in elderly patients with type 2 diabetes: a cross-sectional multicentre study. **Acta Diabetol.** 55:1121-1129, 2018
25. Casula M, Olmastroni E, Pirillo A, Catapano AL; members of The Lipigen Steering Committee; Principal Investigators: Coordinator center; Participant Centers; Participant Laboratories; Collaborators; Study central laboratory and analysis group (including Bonora E). Evaluation of the performance of Dutch Lipid Clinic Network score in an Italian FH population: The LIPIGEN study. **Atherosclerosis.** 277:413-418, 2018
26. Fadini GP, Bottigliengo D, D'Angelo F, Cavalot F, Bossi AC, Zatti G, Baldi I, Avogaro A; DARWIN-T2D Network (including Bonora E). Comparative effectiveness of dpp-4 inhibitors versus sulfonylurea for the treatment of type 2 diabetes in routine clinical practice: a retrospective multicenter real-world study. **Diabetes Ther.** 9:1477-1490, 2018
27. Wiviott SD, Raz I, Bonaca MP, Mosenzon O, Kato ET, Cahn A, Silverman MG, Zelniker TA, Kuder JF, Murphy SA, Bhatt DL, Leiter LA, McGuire DK, Wilding JPH, Ruff CT, Gause-Nilsson IAM, Fredriksson M, Johansson PA, Langkilde AM, Sabatine MS; DECLARE-TIMI 58 Investigators (including Bonora E). Dapagliflozin and cardiovascular outcomes in type 2 diabetes. **N. Engl. J. Med.** 380:347-357, 2019
28. Fadini GP, Sciannameo V, Franzetti I, Bottigliengo D, D'Angelo P, Vinci C, Berchialla P, Arena S, Buzzetti R, Avogaro A; DARWIN-T2D network (including Bonora E). Similar effectiveness of dapagliflozin and GLP-1 receptor agonists concerning combined endpoints in routine clinical practice: A multicentre retrospective study. **Diabetes Obes. Metab.** 21: 1886-1894, 2019
29. Fadini GP, Li Volsi P, Devangelio E, Poli M, Cazzetta G, Felace G, Avogaro A; DARWIN-T2D Network (including Bonora E). Predictors of early discontinuation of dapagliflozin versus other glucose-lowering medications: a retrospective multicenter real-world study. **J. Endocrinol. Invest.** 49: 329-336, 2019

30. Ruilope LM, Agarwal R, Anker SD, Bakris GL, Filippatos G, Nowack C, Kolkhof P, Joseph A, Mentenich N, Pitt B; FIGARO-DKD study investigators (including Bonora E).
Design and baseline characteristics of the finerenone in reducing cardiovascular mortality and morbidity in diabetic kidney disease trial.
Am. J. Nephrol. 50:345-356, 2019
31. Sciannameo V, Berchiolla P, Orsi E, Lamacchia O, Morano S, Querci F, Consoli A, Avogaro A, Fadini GP; DARWIN-T2D study (including Bonora E).
Enrolment criteria for diabetes cardiovascular outcome trials do not inform on generalizability to clinical practice. The case of GLP-1 receptor agonists.
Diabetes Obes. Metab. 22: 817-827, 2020
32. Bakris GL, Agarwal R, Anker SD, Pitt B, Ruilope LM, Rossing P, Kolkhof P, Nowack C, Schloemer P, Joseph A, Filippatos G; FIDELIO-DKD Investigators. (including Bonora E).
Effect of finerenone on chronic kidney disease outcomes in type 2 diabetes.
N Engl J Med. 383:2219-2229, 2020
33. Bhatt DL, Szarek M, Pitt B, Cannon CP, Leiter LA, McGuire DK, Lewis JB, Riddle MC, Inzucchi SE, Kosiborod MN, Cherney DZI, Dwyer JP, Scirica BM, Bailey CJ, Diaz R, Ray KK, Udell JA, Lopes RD, Lapuerta P, Steg PG; SCORED Investigators (including Bonora E).
Sotagliflozin in Patients with Diabetes and Chronic Kidney Disease.
N. Engl. J. Med. 384:129-139, 2021
34. Morieri ML, Vitturi N, Avogaro A, Targher G, Fadini GP; DARWIN-T2D Network of the Italian Diabetes Society (including Bonora E).
Prevalence of hepatic steatosis in patients with type 2 diabetes and response to glucose-lowering treatments. A multicenter retrospective study in Italian specialist care.
J. Endocrinol. Invest. 44: 1879-1889, 2021
35. Sciannameo V, Berchiolla P, Avogaro A, Fadini GP; DARWIN-T2D Network (including Bonora E)
Transposition of cardiovascular outcome trial effects to the real-world population of patients with type 2 diabetes.
Cardiovasc. Diabetol. 2021; 20:103, 2021
36. Pitt B, Filippatos G, Agarwal R, Anker SD, Bakris GL, Rossing P, Joseph A, Kolkhof P, Nowack C, Schloemer P, Ruilope LM; FIGARO-DKD Investigators (including Bonora E.)
Cardiovascular Events with Finerenone in Kidney Disease and Type 2 Diabetes.
N. Engl. J. Med. 2021; 385:2252-2263
37. Rossing P, Burgess E, Agarwal R, Anker SD, Filippatos G, Pitt B, Ruilope LM, Gillard P, MacIsaac RJ, Wainstein J, Joseph A, Brinker M, Roessig L, Scott C, Bakris GL; FIDELIO-DKD Investigators (including Bonora E).
Finerenone in patients with chronic kidney disease and type 2 diabetes according to baseline HbA1c and insulin use: an analysis from the FIDELIO-DKD Study.
Diabetes Care 45:888-897, 2022
38. Di Mario C, Genovese S, Lanza GA, Mannucci E, Marenzi G, Sciatti E, Pitocco D; Expert Panel Group (including Bonora E).
Role of continuous glucose monitoring in diabetic patients at high cardiovascular risk: an expert-based multidisciplinary Delphi consensus.
Cardiovasc Diabetol. 21:164, 2022
39. Bruttomesso D, Irace C, Pozzilli P; SAGE study group (including Bonora E).
A sub-analysis of the SAGE study in Italy indicates good glycemic control in type 1 diabetes.
Nutr Metab Cardiovasc Dis. 33:631-639, 2023

40. Agarwal R, Tu W, Farjat AE, Farag YMK, Toto R, Kaul S, Lawatscheck R, Rohwedder K, Ruilope LM, Rossing P, Pitt B, Filippatos G, Anker SD, Bakris GL; FIDELIO-DKD and FIGARO-DKD Investigators. Impact of Finerenone-Induced Albuminuria Reduction on Chronic Kidney Disease Outcomes in Type 2 Diabetes : A Mediation Analysis. **Ann Intern Med.** 176:1606-1616, 2023

Chapters of books

1. Buzzelli G., Bonora E., Coscelli C., Orioli S., Smorlesi C., Butturini U., Gentilini P.
Glucose intolerance in chronic active hepatitis.
In: **The Endocrines and the Liver**. Langher M., Chiandussi L., Chopra I.J. and Martini L. (eds), Academic Press, New York, pag. 355-370, 1982.
2. Coscelli C., Bonora E., Butturini U.
Circulating insulin and C-peptide after oral glucose in situations of glucose intolerance.
In: **Recent Advances in Obesity and Diabetes Research**. Melchionda N., Horwitz D.L., Schade D. (eds), Raven Press, New York, pag. 63-76, 1984.
3. Bonora E., Manicardi V., Coscelli C., Butturini U.
Heterogeneity of insulin but not C-peptide responses to oral glucose in simple obesity.
In: **Recent Advances in Obesity and Diabetes Research**. Melchionda N., Horwitz D., Schade D. (eds), Raven Press, New York, pag. 23-29, 1984.
4. Bonora E., Manicardi V., Coscelli C., Butturini U.
Type 1 and nonobese type 2 diabetes: two different mechanisms for insulin resistance. Study with C-peptide and insulin tolerance test.
In: **Recent Advances in Obesity and Diabetes Research**. Melchionda N., Horwitz D., Schade D. (eds), Raven Press, New York, pag. 19-22, 1984.
5. Bonora E., Manicardi V., Capretti L., Coscelli C., Butturini U.
Beta-cell secretion and exogenous insulin sensitivity in simple obesity and obesity with type 2 diabetes.
In: **Recent Advances in Obesity and Diabetes Research**. Melchionda N., Horwitz D., Schade D. (eds), Raven Press, New York, pag. 31-34, 1984.
6. Bonora E., Coscelli C., Butturini U.
Beta-cell secretion in glucose intolerant subjects with high or low insulin response to glucose.
In: **Frontiers in Diabetes, vol.3**. Belfiore F., Galton D.G., Reaven G.M. (eds), Karger, Basel, pag. 226-230, 1984.
7. Coscelli C., Palmari V., Saccardi F., Alpi O., Bonora E.
Effect of metformin addition to insulin in type 1 diabetes.
In: **Frontiers in Diabetes, vol.3**. Belfiore F., Galton D.G., Reaven G.M. (eds), Karger, Basel, pag. 253-257, 1984.
8. Moghetti P., Querena M., Bonora E., Girotto S., Aprili G., Piemonte G., Timmers K., Roth J., Muggeo M.
Enzymatic activities of glucose disposal in circulating lymphomonocytes.
In: **Diabetes, Obesity and Hyperlipidemias. III**. Crepaldi G., Tiengo A., Baggio G. (eds), Elsevier Science, Amsterdam, pag. 479-484, 1985.
9. Bonora E., Moghetti P., Querena M., Cacciatori V., Girotto S., Aprili G., Piemonte G., Muggeo M.
Enzymes of glucose metabolism in mononuclear blood cells from nondiabetic and diabetic obese subjects.
In: **Disorders in Eating Behaviour. A Psychoneuroendocrine Approach**. Ferrari E., Brambilla F. (eds), Pergamon Press, London, pag. 183-186, 1986.
10. Bonora E., Moghetti P., Querena M., Cacciatori V., Girotto S., Bommartini F., Pedrazzi F., Muggeo M.
Enzymes of glucose metabolism in mononuclear blood cells from diabetic and nondiabetic aged subjects.
In: **Nutritional and Metabolic Aspects of Aging**. Bernardi M., Facchini A., Labò G. (eds), Eurage, Rijswijk, pag. 179-184, 1986.
11. Piemonte G., Bolner A., Moghetti P., Bonora E., Cacciatori V., Querena M., Muggeo M.
Measurement of plasma catecholamines. Study at basal and during insulin-induced hypoglycemia in normal and diabetic subjects.
In: **Developments in Analytical Methods in Pharmaceutical, Biomedical and Forensic Sciences**. Piemonte

G., Tagliaro F., Marigo M., Frigerio A. (eds), Plenum Press, New York, pag. 257-270, 1987.

12. Bonora E., Zavaroni I., Alpi O., Pezzarossa A., Dall'Aglio E., Coscelli C., Butturini U.
Insulin and blood pressure in nonobese and obese healthy subjects.

In: **Atherosclerosis and Cardiovascular Diseases. Vol.3.** Lenzi S., Descovich G.C. (eds), Editrice Compositori, Bologna, pag. 713-717, 1987.

13. Zavaroni I., Dall'Aglio E., Bonora E., Pagliara M., Bonati P.A., Buonanno G., Bergonzani M., Passeri M., Butturini U.

Abnormal glucose tolerance and risk factors for coronary artery disease.

In: **Atherosclerosis and Cardiovascular Diseases. Vol.3.** Lenzi S., Descovich G.C. (eds), Editrice Compositori, Bologna, pag. 3-6, 1987.

14. Moghetti P., Querena M., Stanzial A.M., Bonora E., Cacciatori V., Zoppini G., Crepaldi G., Muggeo M.
Growth hormone response to insulin in type I diabetics with and without retinopathy.

In: **Microvascular and Neurological Complications of Diabetes.** Crepaldi G., Cuhna-Vaz J.C., Fedele D., Mogensen C.E., Ward J.C. (eds), Liviana Press, Padova, pag. 71-76, 1987.

15. Muggeo M., Moghetti P., Querena M., Bonora E.

Mechanisms of insulin action on target tissues: effect of insulin lack.

In: **Diabetes Secondary to Pancreatopathy.** Tiengo A., Alberti K.G.M.M., Del Prato S., Vranic M. (eds), Elsevier, Amsterdam, pag. 71-82, 1988.

16. Muggeo M., Bonora E., Querena M.

Rationale for drug therapy of type II (non-insulin-dependent) diabetes mellitus.

In: **Problems in Aging: Epidemiology, Health and Social Care.** Ancona E., Costantini M., Rossi M., Zaninotto G. (eds), Fidia Editrice, Padova, pag. 133-142, 1989.

17. Bonora E., Zenere M., Branzi P., Bagnani M., Maggiulli L., Tosi F., Travia D., Cacciatori V., Querena M., Moghetti P., Muggeo M.

Influence of body fat and its regional distribution on metabolic and haemodynamic risk factors of atherosclerosis in the young man.

In: **Atherosclerosis and Cardiovascular Disease. Vol. 4.** Descovich G.C., Gaddi A., Magri G.L., Lenzi S. (eds), Editrice Compositori, Bologna, pag.487-491, 1989.

18. Bonora E., Del Prato S., Bonadonna R., Gulli G., Solini A., DeFronzo R.A.

Total body fat content and fat topography are differently associated with in vivo glucose metabolism in nonobese and obese women.

In: **Reports of the IV International Symposium on Insulin Receptor and Insulin Action.** Bonora E., Cigolini M., Moghetti P., Zoppini G. (eds), Studio Forma, Verona, pag. 30-31, 1990.

19. Del Prato S., DeFronzo R.A., Bonora E., Gulli G., Solini A., Bonadonna R.

Intracellular glucose metabolism and insulin resistance in obese non-insulin dependent diabetes. Compensatory effects of hyperglycemia and hyperinsulinemia.

In: **Reports of the IV International Symposium on Insulin Receptor and Insulin Action.** Bonora E., Cigolini M., Moghetti P., Zoppini G. (eds), Studio Forma, Verona, pag. 60-61, 1990.

20. Moghetti P., Castello R., Tosi F., Zenere M., Perobelli L., Furlani L., De Gregori M.E., Bonora E., Muggeo M.

Effects of short-term and long-term hyperthyroidism on glucose metabolism in humans.

In: **Reports of the IV International Symposium on Insulin Receptor and Insulin Action.** Bonora E., Cigolini M., Moghetti P., Zoppini G. (eds), Studio Forma, Verona, pag. 136-138, 1990.

21. Querena M., Bonora E., Moghetti P., Cacciatori V., Zoppini G., Zenere M., Tosi F., Muggeo M.

Mononuclear leukocytes from obese patients with type II diabetes have reduced activity of hexokinase, 6-phosphofructokinase, and glucose-6-phosphate dehydrogenase.

In: **Reports of the IV International Symposium on Insulin Receptor and Insulin Action.** Bonora E., Cigolini M., Moghetti P., Zoppini G. (eds), Studio Forma, Verona, pag. 169, 1990.

22. Zenere M., Bonora E., Branzi P., Bagnani M., Maggiulli L., Querena M., Cacciatori V., Tosi F., Travia D., Moghetti P., Muggeo M.

Relationships between total body fat, fat topography and basal plasma insulin in 1293 18-yr old men.

In: **Reports of the IV International Symposium on Insulin Receptor and Insulin Action**. Bonora E., Cigolini M., Moghetti P., Zoppini G. (eds), Studio Forma, Verona, pag. 222, 1990.

23. Bonora E., Zenere M., Branzi P., Bagnani M., Maggiulli L., Tosi F., Travia D., Cacciatori V., Querena M., Moghetti P., Muggeo M.

Influence of body fat distribution on metabolic and haemodynamic parameters in young men.

In: **Diabetes, Obesity and Hyperlipidemias. IV**. Crepaldi G., Tiengo A., Enzi G. (eds), Elsevier Science, Amsterdam, pag. 261-264, 1990.

24. Muggeo M., Bonora E.

Obesity, insulin resistance and diabetes mellitus.

In: **Primary and Secondary Eating Disorders: A Psychoneuroendocrine Approach**. (Advances in the Biosciences, Vol. 90). Ferrari E., Brambilla F., Solerte S.B. (eds), Pergamon Press, Oxford, pag. 305-317, 1993.

25. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Muggeo M.

Glucose, insulin and atherosclerosis. Lessons from the Bruneck Study.

In: **Insulin Resistance, Metabolic Diseases and Diabetic Complications**. Crepaldi G., Tiengo A. and Del Prato S. (eds), Elsevier Science, Amsterdam, pag. 19-24, 1999.

26. Muggeo M., Zoppini G., Brun E., Bonora E., Verlato G.

Mortality and its predictors in type 2 diabetes.

In: **Diabetes in Old Age**. Sinclair A. J. and Finucane P. (eds), John Wiley and Sons, Chichester, pag. 103-118, 2001.

27. Bonora E., Kiechl S., Willeit J., Oberhollenzer F., Egger G., Bonadonna R., Muggeo M.

Prevalence, ancillary clinical features and cardiovascular disease in the Metabolic Syndrome: the Bruneck Study.

In: **The Metabolic Syndrome: Diabetes, Obesity, Hyperlipidemia and Hypertension**. Crepaldi G., Tiengo A., Avogaro A. (eds). Elsevier Science, Amsterdam, pag. 13-17, 2003.

28. Bonora E.

The Metabolic Syndrome: Is it still alive?

In: **The Metabolic Syndrome: The Road Map from Inflammation to Cardiovascular Disease**. Crepaldi G., Tiengo A., Avogaro A. (eds), Elsevier Science, Amsterdam, pag. 3-9, 2007.

Textbooks

1. Bonora E, DeFronzo RA. Diabetes - Epidemiology, Genetics, Pathogenesis, Diagnosis, Prevention and Treatment. Springer, Berlin, 2018

2. Bonora E, DeFronzo RA. Diabetes – Complications, Comorbidities and Related Disorders. Springer, Berlin, 2018.